	1#	Kodama A, Komori K, Kajikuri J, Itoh T.
		Chronic treatment of hydroxytryptamine type 2a receptor antagonist sarpogrelate hydrochloride modulates the vasoreactivity of serotonin in experimental rabbit vein grafts
		J Vasc Surg.
		2009;50:617-25.
	2#	Kodama A, Komori K, Hattori K, Yamanouchi D, Kajikuri J, Itoh T.
	学位論文	Sarpogrelate hydrochloride reduced intimal hyperplasia in experimental rabbit vein graft
		J Vasc Surg.
		2009;49:1272-81.
	3C#	Kodama A, Narita H, Kobayashi M, Yamamoto K, Komori K.
		Usefulness of POSSUM physiological score for the estimation of morbidity and mortality risk after elective abdominal aortic aneurysm repair in Japan
		Circ J.
		2011;75:550-6.
	4	Ihara T, Komori K, Yamamoto K, Kobayashi M, Banno H, Kodama A.
		Three-dimensional workstation is useful for measuring the correct size of abdominal aortic aneurysm diameters
		Ann Vasc Surg.
		2013;27:154-61.
	5	Azuma N, Iida O, Takahara M, Soga Y, Kodama A.
		Surgical reconstruction versus peripheral intervention in patients with critical limb ischemia - a prospective multicenter registry in Japan: the SPINACH study design and rationale
		Vascular.
		2014;22:411-20.
	6	Tamai H, Kobayashi M, Takeshita K, Kodama A, Banno H, Narita H, Yamamoto K, Komori K.

		Possible involvement of Notch signaling in the pathogenesis of Buerger's disease
		Surg Today.
		2014;44:307-13.
	7C #	A. Kodama, M. Sugimoto, S. Kuma, J. Okazaki, S. Mii, K. Komori,
		Clinical Outcomes After Infrainguinal Bypass Grafting for Critical Limb Ischaemia in Patients with Dialysis-dependent End-stage Renal Failure,
		Eur J Vasc and Endovasc Surg
		2014; 48: 695-702
	8	Tanaka A, Ishii H, Oshima H, Narita Y, Kodama A, Suzuki S, Komori K, Usui A, Murohara T.
		Inverse association between diabetes and aortic dilatation in patients with advanced coronary artery disease
		Atherosclerosis.
		2015;242:123-7.
	9	Takahara M, Iida O, Soga Y, Kodama A, Azuma N; SPINACH study investigators.
		Absence of Preceding Intermittent Claudication and its Associated Clinical Freatures in Patients with Critical Limb Ischemia
		J Atheroscler Thromb.
		2015;22:718-25.
	10	Sugimoto M, Kodama A, Narita H, Banno H, Yamamoto K, Komori K.
		Pre- and Intraoperative Predictors of Delirium after Open Abdominal Aortic Aneurysm Repair
		Ann Vasc Dis.
		2015;8:215-9.
		学術論文 No.2
	11	Yamamoto K, Komori K, Banno H, Narita H, Kodama A, Sugimoto M.

		Validation of Patient Selection for Endovascular Aneurysm Repair or Open Repair of Abdominal Aortic Aneurysm – Single-Center Study
		Circ J.
		2015;79:1699-705.
	12	Kuma S, Morisaki K, Kodama A, Guntani A, Fukunaga R, Soga Y, Shirai S, Ishida M, Okazaki J, Mii S.
		Ultrasound-guided percutaneous thrombin injection for post-catheterization pseudoaneurysm
		Circ J.
		2015;79:1277-81.
	13	Sugimoto M, Miyachi H, Morimae H, Kodama A, Narita H, Banno H, Yamamoto K, Komori K.
		Fate of ischemic limbs in patients with Buerger's disease based on our 30-year experience: does smoking have a definitive impact on the late loss of limbs?
		Surg Today.
		2015;45:466-70.
	14	Mii S, Tanaka K, Kyuragi R, Kuma S, Kodama A, Fukunaga R, Masaki I, Okazaki J, Eguchi D, Yamaoka T, Mori A, Guntani A, Okadome J.
		Raison d'etre of Tibial Artery Bypass for Intermittent Claudication in the Era of Endovascular Therapy
		Circ J.
		2016;80:1460-9.
	15	Narita H, Komori K, Usui A, Yamamoto K, Banno H, Kodama A, Sugimoto M.
		Postoperative Outcomes of Hybrid Repair in the Treatment of Aortic Arch Aneurysms
		Ann Vasc Surg.
		2016;34:55-61.
	16	Kuma S, Tanaka K, Ohmine T, Morisaki K, Kodama A, Guntani A, Ishida M, Okazaki J, Mii S.
		Clinical Outcome of Surgical Endarterectomy for Common Femoral Artery

		Occlusive Disease
		Circ J.
		2016;80:964-9.
	17	Hayashi K, Hirashiki A, Kodama A, Kobayashi K, Yasukawa Y, Shimizu M, Kondo T, Komori K, Murohara T.
		Impact of preoperative regular physical activity on postoperative course after open abdominal aortic aneurysm surgery
		Heart Vessels.
		2016;31:578-83.
	18	Ihara T, Komori K, Banno H, Kodama A, Yamamoto K, Sugimoto M.
		Relationship between the distal migration and length of the distal landing zone after endovascular aneurysm repair (EVAR)
		Surg Today.
		2016;46:56-61.
	19	Iida O, Takahara M, Soga Y, Kodama A, Terashi H, Azuma N; SPINACH Investigators.
		Three-Year Outcomes of Surgical Versus Endovascular Revascularization for Critical Limb Ischemia: The SPINACH Study (Surgical Reconstruction Versus Peripheral Intervention in Patients With Critical Limb Ischemia)
		Circ Cardiovasc Interv.
		2017;10:e005531.
	20	Kodama A, Koyama A, Sugimoto M, Niimi K, Banno H, Komori K.
	C#	Association Between Preoperative Frailty and Mortality in Patients With Critical Limb Ischemia Following Infrainguinal Bypass Surgery - Usefulness of the Barthel Index
		Circ J.
		2017;82:267-274.
		学術論文 No.3

	21	Sugimoto M, Koyama A, Niimi K, Kodama A, Banno H, Komori K.
		Long-term Comparison of Endovascular and Open Repair of Abdominal Aortic Aneurysms: Retrospective Analysis of Matched Cohorts with Propensity Score
		Ann Vasc Surg.
		2017 ;43:96-103.
	22	Maekawa T, Komori K, Kodama A, Banno H, Narita H, Sugimoto M.
		The impact of inflow treatment for claudicants with both aortoiliac and femoropopliteal occlusive disease
		Surg Today.
		2017 ;47:293-300.
	23	Tokunaga S, Ihara T, Banno H, Kodama A, Sugimoto M, Komori K.
		The Relationship between Temporal Changes in Proximal Neck Angulation and Stent-Graft Migration after Endovascular Abdominal Aortic Aneurysm Repair
		Ann Vasc Surg.
		2017;39:119-127.
	24	Guntani A, Mii S, Kuma S, Tanaka K, Kodama A, Kawakubo E.
		Long-Term Results of Femorotibial Polytetrafluoroethylene Bypass with a Distal Vein Cuff for Critical Limb Ischemia
		Ann Vasc Dis.
		2018;11:306-311.
	25	Sugimoto M, Takahashi N, Niimi K, Kodama A, Banno H, Komori K.
		Anatomical Suitability of the GORE EXCLUDER Iliac Branch Endoprosthesis in Japanese Patients with Common Iliac Aneurysms Treated by Standard EXCLUDER Endografts
		Ann Vasc Surg.
		2018;50:179-185.
	26	Sugimoto M, Takahashi N, Niimi K, Kodama A, Banno H, Komori K.
		Long-term fate of renal function after open surgery for juxtarenal and pararenal aortic aneurysm
		J Vasc Surg.

		2018;67:1042-1050.
	27	Hayashi K, Kobayashi K, Shimizu M, Tsuchikawa Y, Kodama A, Komori K, Nishida Y.
		Self-efficacy is an independent predictor for postoperative six-minute walk distance after elective open repair of abdominal aortic aneurysm
		Disabil Rehabil.
		2018;40:1114-1118.
	28	Azuma N, Takahara M, Kodama A, Soga Y, Terashi H, Tazaki J, Yamaoka T, Koya A, Iida O.
		Predictive Model for Mortality Risk Including the Wound, Ischemia, Foot Infection Classification in Patients Undergoing Revascularization for Critical Limb Ischemia
		Circ Cardiovasc Interv.
		2019;12:e008015.
	29	Sugimoto M, Takahashi N, Niimi K, Kodama A, Banno H, Komori K.
		Effect of Intraoperative Division of the Left Renal Vein on the Fate of Renal Function and Left Renal Volume After Open Repair of Para- and Juxtarenal Aortic Aneurysm
		Circ J.
		2019;83:1844-1850.
	30	Kodama A, Takahashi N, Sugimoto M, Niimi K, Banno H, Komori K.
		Associations of nutritional status and muscle size with mortality after open aortic aneurysm repair
		J Vasc Surg.
		2019;70:1585-1593.
		学術論文 No.4
	31	Soga Y, Takahara M, Iida O, Kodama A, Azuma N; SPINACH Investigators.
		Association between stress hormones and perioperative risk in patients with

		critical limb ischemia undergoing revascularization
		J Vasc Surg.
		2019;70:795-805.e1.
	32	Vascular and Endovascular Research Network (VERN) COVER study collaborative*.
		Global impact of the first coronavirus disease 2019 (COVID-19) pandemic wave on vascular services
		Br J Surg.
		2020;107:1396-1400.
	33	Katagiri T, Kondo K, Shibata R, Hayashida R, Shintani S, Yamaguchi S, Shimizu Y, Unno K, Kikuchi R, Kodama A, Takanari K, Kamei Y, Komori K, Murohara T.
		Therapeutic angiogenesis using autologous adipose-derived regenerative cells in patients with critical limb ischaemia in Japan: a clinical pilot study
		Sci Rep.
		2020;10:16045.
	34	Takahara M, Iida O, Soga Y, Kodama A, Terashi H, Suzuki K, Sugimoto I, Azuma N.
		Heterogeneity of Age and Its Associated Features in Patients with Critical Limb Ischemia
		Ann Vasc Dis.
		2020;13:300-307.
	35	Kodama A, Meecham L, Popplewell M, Bate G, Conte MS, Bradbury AW.
	C#	**Editor's Choice** - Relationship Between Global Limb Anatomic Staging System (GLASS) and Clinical Outcomes Following Revascularisation for Chronic Limb Threatening Ischaemia in the Bypass Versus Angioplasty in Severe Ischaemia of the Leg (BASIL)-1 Trial
		Eur J Vasc Endovasc Surg.
		2020;60:687-695.
	36	Utsunomiya M, Takahara M, Iida O, Soga Y, Hata Y, Shiraki T, Nagae A, Kato

		T, Kobayashi N, Suematsu N, Tasaki J, Horie K, Uchida D, Kodama A, Azuma N, Nakamura M.
		Limb-Based Patency After Surgical vs Endovascular Revascularization in Patients with Chronic Limb-Threatening Ischemia
		J Endovasc Ther.
		2020;27:584-594.
	37	Banno H, Ikeda S, Kawai Y, Meshii K, Takahashi N, Sugimoto M, Kodama A, Komori K.
		Early and midterm outcomes of celiac artery coverage during thoracic endovascular aortic repair
		J Vasc Surg.
		2020;72:1552-1557.
	38	Takahara M, Iida O, Soga Y, Kodama A, Terashi H, Utsunomiya M, Okazaki J, Azuma N, The Spinach Study Investigators.
		Duration from Wound Occurrence to Referral to a Vascular Center in Japanese Patients with Critical Limb Ischemia
		Ann Vasc Dis.
		2020 ;13:56-62.
	39	Koyama A, Kodama A, Tsuruoka T, Fujii T, Sugimoto M, Banno H, Komori K.
		Zinc Deficiency and Clinical Outcome After Infrainguinal Bypass Grafting for Critical Limb Ischemia
		Circ Rep.
		2020;2:167-173.
	40	Fujii T, Banno H, Kodama A, Sugimoto M, Akita N, Tsuruoka T, Sakakibara M, Komori K.
		Aneurysm Sac Thrombus Volume Predicts Aneurysm Expansion with Type II Endoleak After Endovascular Aneurysm Repair
		Ann Vasc Surg.
		2020;66:85-94.e1.
	41	Banno H, Ikeda S, Kawai Y, Fujii T, Akita N, Takahashi N, Sugimoto M,

		Kodama A, Komori K.
		Suprarenal fixation is associated with worse midterm renal function after endovascular abdominal aortic aneurysm repair compared with infrarenal fixation
		J Vasc Surg.
		2020;71:450-456.
		学術論文 No.5
	42 C#	Kodama A, Takahara M, Iida O, Soga Y, Mii S, Kitano I, Deguchi J, Fukui D, Komori K, Azuma N.
		Health-related quality of life over time after revascularisation in patients with chronic limb-threatening ischaemia
		Eur J Vasc Endovasc Surg.
		2021;62 :777-785
	43	Kobayashi N, Takahara M, Iida O, Soga Y, Kodama A, Hirano K, Nakano M, Yamauchi Y, Komai H, Azuma N.
		Impact of Dialysis Vintage and Renal Biomarkers on Mortality in Dialysis-Dependent Patients With Critical Limb Ischemia Undergoing Revascularization
		J Endovasc Ther.
		2021; 28: 716-725
	44	Banno H, Mutsuga M, Sugimoto M, Tokuda Y, Kodama A, Usui A, Komori K.
		Midterm Outcomes of Zone 0 Antegrade Endograft Implantation During Type I Hybrid Aortic Arch Repair
		Eur J Vasc Endovasc Surg.
		2021;61:938-944.
	45	Takahara M, Iida O, Soga Y, Kodama A, Terashi H, Azuma N.
		Impact of homocysteine levels on mortality risk in patients with chronic limb-threatening ischemia undergoing revascularization
		Heart Vessels.
		2021; 36: 1825-1829.

	46 C#	Kodama A, Takahara M, Iida O, Soga Y, Terashi H, Kawasaki D, Izumi Y, Mii S, Komori K, Azuma N; SPINACH investigators..
		Ambulatory Status Over Time after Revascularization in Patients with Chronic Limb-Threatening Ischemia
		J Atheroscler Thromb.
		2022; 29: 866-880.
	47	Sugimoto M, Banno H, Sato T, Ikeda S, Tsuruoka T, Kawai Y, Niimi K, Kodama A, Komori K.
		Time-to-Event Analysis of the Impact of Endovascular Aortic Aneurysm Repair on Chronic Renal Decline
		Ann Vasc Surg.
		2021;74:165-175.
	48	Sugimoto M, Banno H, Sato T, Ikeda S, Tsuruoka T, Kawai Y, Niimi K, Kodama A, Komori K.
		Clinical Comparison between Early and Late Spontaneous Sac Shrinkage after Endovascular Aortic Aneurysm Repair
		Ann Vasc Surg.
		2021;75:420-429.
	49	Shiraki T, Takahara M, Iida O, Soga Y, Kodama A, Miyashita Y, Shintani Y, Endo M, Azuma N; SPINACH study investigators.
		Baseline and Updated Information on Nutritional Status in Patients With Chronic Limb Threatening Ischaemia Undergoing Revascularisation
		Eur J Vasc Endovasc Surg.
		2021;61:467-472.
	50	Banno H, Kawai Y, Sato T, Tsuruoka T, Sugimoto M, Kodama A, Komori K.
		Low-density vulnerable thrombus/plaque volume on preoperative computed tomography predicts for spinal cord ischemia after endovascular repair for thoracic aortic aneurysm
		J Vasc Surg.
		2021;73:1557-1565.e1.

	51	Meshii K, Sugimoto M, Niimi K, Kodama A, Banno H, Komori K.
		The association between perioperative embolization of hypogastric arteries and type II endoleaks after endovascular aortic aneurysm repair
		J Vasc Surg.
		2021;73:99-107.
		学術論文 No.6
	52	Iida O, Takahara M, Soga Y, Kodama A, Terashi H, Azuma N; SPINACH investigators.
		The Association of Preoperative Characteristics with Reintervention Risk in Patients Undergoing Revascularization for Chronic Limb-Threatening Ischemia
		J Atheroscler Thromb.
		2021;28:52-65.
	53	Takahara M, Iida O, Soga Y, Kodama A, Terashi H, Azuma N; SPINACH study investigators.
		Current and Past Obesity in Japanese Patients with Critical Limb Ischemia Undergoing Revascularization
		J Atheroscler Thromb.
		2021;28:44-51.
	54	Ikeda S, Kodama A, Kawai Y, Tsuruoka T, Sugimoto M, Niimi K, Banno H, Komori K.
		Preoperative sarcopenia and malnutrition are correlated with poor long-term survival after endovascular abdominal aortic aneurysm repair.
		Surg Today.
		2022; 52: 98-105.
	55	Takahara M, Iida O, Soga Y, Kodama A, Terashi H, Azuma N.
		Features of asymptomatic contralateral limb in patients with chronic limb-threatening ischemia.
		J Cardiol.

		2022; 79: 153-160.
	56	Banno H, Sugimoto M, Sato T, Ikeda S, Kawai Y, Tsuruoka T, Kodama A, Komori K.
		Endovascular Aneurysm Repair Compared With Open Repair Does Not Improve Survival in Octogenarians
		Circ J.
		2021;85 : 2166-2171.
	57	Tsuruoka T, Kodama A, Yamaguchi S, Masutomi T, Koyama A, Murohara T, Komori K, Shibata R.
		Zinc deficiency impairs ischemia-induced angiogenesis.
		JVS Vasc Sci.
		2021; 3: 30-40.
	58	VERN COVER study collaborative; Benson RA.
		Documenting the Recovery of Vascular Services in European Centres Following the Initial COVID-19 Pandemic Peak: Results from a Multicentre Collaborative Study.
		EJVES Vasc Forum.
		2022;57:28-34.
	59	Sakakibara M, Kodama A, Komori K, Itoh T.
		Reduced Function of Endothelial Nitric Oxide and Hyperpolarization in Artery Grafts with Poor Runoff.
		J Surg Res.
		2022; 270: 2-11.
	60	Sugimoto M, Banno H, Sato T, Ikeda S, Tsuruoka T, Kawai Y, Niimi K, Kodama A, Komori K.
		Factors Associated With Spontaneous Sac Shrinkage in Patients With Persistent Type 2 Endoleaks After EVAR.
		J Endovasc Ther.
		2022, in press

	61	Banno H, Sugimoto M, Sato T, Ikeda S, Kawai Y, Tsuruoka T, Kodama A, Komori K.
		New Morphological Factor for Predicting Late Proximal Type I Endoleak after Endovascular Aneurysm Repair.
		Ann Vasc Surg.
		2022; 81: 154-162.
	62 C#	Kodama A, Komori K, Koyama A, Sato T, Ikeda S, Tsuruoka T, Kawai Y, Niimi K, Sugimoto M, Banno H, Nishida K.
		Impact of Serum Zinc Level and Oral Zinc Supplementation on Clinical Outcomes in Patients Undergoing Infrainguinal Bypass for Chronic Limb-Threatening Ischemia.
		Circ J.
		2022; 86: 995-1006.
		学術論文 No.7
	63 C#	Kodama A, Kobayashi T, Guntani A, Yamada T, Koyama A, Mii S, Ishibashi H, Matsushita M, Komori K.
		Comparison of clinical outcomes, including the wound healing rate, between inframalleolar bypass to the pedal artery and that to the pedal branch artery in the modern endovascular era.
		J Vasc Surg.
		2022; 75: 2019-2029
	64	Kobayashi T, Kodama A, Okazaki T, Honma T, Yamada T, Ishibashi H, Komori K.
		Prognostic Significance of Preoperative Functional Independence Measure (FIM) on Long-Term Outcomes in Patients with Chronic Limb-Threatening Ischemia (CLTI).
		Ann Vasc Surg.
		2022; 83: 275-283.
	65	Kawai Y, Kodama A, Sato T, Ikeda S, Tsuruoka T, Sugimoto M, Niimi K, Banno

		H, Komori K.
		Predictors of infrapopliteal vein bypass graft revision in patients with chronic limb-threatening ischemia.
		Vascular
		2022, in press
	66	Meecham L, Popplewell M, Bate G, Davies HOB, Kodama A, Conte MS, Bradbury AW.
		Evaluation of the Global Limb Anatomic Staging System in patients with chronic limb-threatening ischemia undergoing endovascular intervention for femoropopliteal disease.
		J Vasc Surg.
		2022, in press
	67	Miyata T, Kumamaru H, Mii S, Kinukawa N, Miyata H, Shigematsu K, Azuma N, Ishida A, Izumi Y, Inoue Y, Uchida H, Ohki T, Kuma S, Kurosawa K, Kodama A, Komai H, Komori K, Shibuya T, Shindo S, Sugimoto I, Deguchi J, Hoshina K, Hideaki M, Midorikawa H, Yamaoka T, Yamashita H, Yunoki Y.
		Prediction Models for Two Year Overall Survival and Amputation Free Survival After Revascularisation for Chronic Limb Threatening Ischaemia.
		Eur J Vasc Endovasc Surg.
		2022; 64: 367-376.
	68	Kawai Y, Banno H, Sato T, Ikeda S, Tsuruoka T, Sugimoto M, Niimi K, Kodama A, Matsui K, Matsui S, Komori K.
		Epicardial adipose tissue volume is associated with abdominal aortic aneurysm expansion.
		J Vasc Surg.
		2022 ;76: 1253-1260
	69	Sato T, Banno H, Ikeda S, Kawai Y, Tsuruoka T, Sugimoto M, Niimi K, Kodama A, Komori K.
		Severe Tortuosity of the Distal Descending Thoracic Aorta Affects the Accuracy of Distal Deployment During a Thoracic　Endovascular Aortic Repair.
		J Endovasc Ther.

		2022, in press