

1. **Kodama A**, Komori K, Hattori K, Yamanouchi D, Kajikuri J, Itoh T: Sarpogrelate hydrochloride reduced intimal hyperplasia in experimental rabbit vein graft. *J Vasc Surg.* 49(5):1272–81, 2009
2. **Kodama A**, Komori K, Kajikuri J, Itoh T: Chronic treatment of hydroxytryptamine type 2a receptor antagonist sarpogrelate hydrochloride modulates the vasoreactivity of serotonin in experimental rabbit vein grafts. *J Vasc Surg.* 50(3):617–25, 2009
3. **Kodama A**, Narita H, Kobayashi M, Yamamoto K, Komori K: Usefulness of POSSUM physiological score for the estimation of morbidity and mortality risk after elective abdominal aortic aneurysm repair in Japan. *Circ J* 75(3):550–6, 2011
4. Morisaki K, Kobayashi M, Miyachi H, Maekawa T, Tamai H, Takahashi N, Watanabe Y, Morimae H, Ihara T, **Kodama A**, Narita H, Banno H, Yamamoto K, Komori K: Subclavian artery aneurysm in Marfan syndrome. *Ann Vasc Surg.* 26(5): 731.e1-731.e4, 2012
5. Ihara T, Komori K, Yamamoto K, Kobayashi M, Banno H, **Kodama A**: Three-Dimensional Workstation is Useful for Measuring the Correct Size of Abdominal Aortic Aneurysm Diameters. *Ann Vasc Surg.* 27(2):154-161, 2013
6. Tamai H, Kobayashi M, Takeshita K, **Kodama A**, Banno H, Narita H, Yamamoto K, Komori K: Possible involvement of Notch signaling in the pathogenesis of Buerger's disease. *Surg Today.* 44(2):307–13,2014
7. **Kodama A**, Sugimoto M, Kuma S, Okazaki J, Mii S, Komori K: Clinical Outcomes After Infrainguinal Bypass Grafting for Critical Limb Ischaemia in Patients with Dialysis-dependent End-stage Renal Failure. *Eur J Vasc Endovasc Surg.* 48(6):695–702,2014
8. Sugimoto M, Miyachi H, Morimae H, **Kodama A**, Narita H, Banno H, Yamamoto K, Komori K: Fate of ischemic limbs in patients with Buerger's disease based on our 30-year experience: does smoking have a definitive impact on the late loss of limbs? *Surg Today.* 45(4):466–70, 2015
9. **Kodama A**, Itoh T, Komori K: Possible roles of 5-HT in vein graft failure due to intimal hyperplasia 5-HT, nitric oxide and vein graft. *Surg Today.* 44(2): 213–8, 2014
10. Azuma N, Iida O, Takahara M, Soga Y, **Kodama A**. Surgical reconstruction versus peripheral intervention in patients with critical limb ischemia - a prospective multicenter registry in Japan: the SPINACH study design and rationale. *Vascular.* 2014 Dec;22(6):411–20.
11. Tanaka A, Ishii H, Oshima H, Narita Y, **Kodama A**, Suzuki S, Komori K, Usui A, Murohara T: Inverse association between diabetes and aortic dilatation in patients with advanced coronary artery disease. *Atherosclerosis.* 242(1):123–127, 2015
12. Yamamoto K, Komori K, Banno H, Narita H, **Kodama A**, Sugimoto M: Validation of Patient Selection for Endovascular Aneurysm Repair or Open Repair of Abdominal Aortic Aneurysm - Single-Center Study - *Circ J.* 79(8):1699–705,2015
13. Sugimoto M, **Kodama A**, Narita H, Banno H, Yamamoto K, Komori K: Pre- and Intraoperative Predictors of Delirium after Open Abdominal Aortic Aneurysm Repair. *Ann Vasc Dis.*

8(3):215–9, 2015

14. Takahara M, Iida O, Soga Y, **Kodama A**, Azuma N; SPINACH study investigators. Absence of Preceding Intermittent Claudication and its Associated Clinical Features in Patients with Critical Limb Ischemia. *J Atheroscler Thromb*. 2015 Jul 23;22(7):718–25.
15. Ihara T, Komori K, Banno H, **Kodama A**, Yamamoto K, Sugimoto M: Relationship between the distal migration and length of the distal landing zone after endovascular aneurysm repair (EVAR). *Surg Today*. 46(1):56–61, 2016
16. Hayashi K, Hirashiki A, **Kodama A**, Kobayashi K, Yasukawa Y, Shimizu M, Kondo T, Komori K, Murohara T: Impact of preoperative regular physical activity on postoperative course after open abdominal aortic aneurysm surgery. *Heart Vessels*. (4):578–83, 2016
17. Narita H, Komori K, Usui A, Yamamoto K, Banno H, **Kodama A**, Sugimoto M: Postoperative Outcomes of Hybrid Repair in the Treatment of Aortic Arch Aneurysms. *Ann Vasc Surg*. 34:55–61, 2016
18. Tokunaga S, Ihara T, Banno H, **Kodama A**, Sugimoto M, Komori K: The relationship between temporal changes in proximal neck angulation and stent graft migration after endovascular abdominal aortic aneurysm repair. *Ann Vasc Surg*. 39:119–127, 2017
19. Maekawa T, Komori K, **Kodama A**, Banno H, Narita H, Sugimoto M: The impact of inflow treatment for Claudicants with both aortoiliac and femoropopliteal occlusive disease. *Surg Today*. 47(3):293–300, 2017
20. Sugimoto M, Koyama A, Niimi K, **Kodama A**, Banno H, Komori K: Long-term Comparison of Endovascular and Open Repair of Abdominal Aortic Aneurysms: Retrospective Analysis of Matched Cohorts with Propensity Score. *Ann Vasc Surg*. 43:96–103, 2017
21. Iida O, Takahara M, Soga Y, **Kodama A**, Terashi H, Azuma N; SPINACH Investigators. Three-Year Outcomes of Surgical Versus Endovascular Revascularization for Critical Limb Ischemia: The SPINACH Study (Surgical Reconstruction Versus Peripheral Intervention in Patients With Critical Limb Ischemia). *Circ Cardiovasc Interv*. 2017 Dec;10(12):e005531.
22. **Kodama A**, Koyama A, Sugimoto M, Niimi K, Banno H, Komori K: Association Between Preoperative Frailty and Mortality in Patients With Critical Limb Ischemia Following Infrainguinal Bypass Surgery – Usefulness of the Barthel Index. *Circ J*, 82(1):267–274, 2017
23. Sugimoto M, Takahashi N, Niimi K, **Kodama A**, Banno H, Komori K: Long-term fate of renal function after open surgery for juxtarenal and pararenal aortic aneurysm. *J Vasc Surg*. 67(4):1042–1050, 2018
24. Hayashi K, Kobayashi K, Shimizu M, Tsuchikawa Y, **Kodama A**, Komori K, Nishida Y: Self-efficacy is an independent predictor for postoperative six-minute walk distance after elective open repair of abdominal aortic aneurysm. *Disability and Rehabilitation*, 40(10):1114–1118, 2018
25. **Kodama A**, Takahashi N, Sugimoto M, Niimi K, Banno H, Komori K: Three cases of dorsal metatarsal artery bypass in patients with Buerger disease. *J Vasc Surg Cases Innov Tech*.

4(3):185–188, 2018

26. **Kodama A**, Takahashi N, Sugimoto M, Niimi K, Banno H, Komori K: Associations of nutritional status and muscle size with mortality following open aortic aneurysm repair. *J Vasc Surg.* 70(5):1585–1593, 2019
27. Sugimoto M, Takahashi N, Niimi K, **Kodama A**, Banno H, Komori K: Anatomical Suitability of the GORE EXCLUDER Iliac Branch Endoprosthesis in Japanese Patients with Common Iliac Aneurysms Treated by Standard EXCLUDER Endografts. *Ann Vasc Surg.* 50:179–185, 2018
28. Sugimoto M, Takahashi N, Niimi K, **Kodama A**, Banno H, Komori K: Effect of Intraoperative Division of the Left Renal Vein on the Fate of Renal Function and Left Renal Volume After Open Repair of Para- and Juxtarenal Aortic Aneurysm. *Circ J.* 83(9):1844–1850, 2019
29. Azuma N, Takahara M, **Kodama A**, Soga Y, Terashi H, Tazaki J, Yamaoka T, Koya A, Iida O. Predictive Model for Mortality Risk Including the Wound, Ischemia, Foot Infection Classification in Patients Undergoing Revascularization for Critical Limb Ischemia. *Circ Cardiovasc Interv.* 2019
30. Soga Y, Takahara M, Iida O, **Kodama A**, Azuma N; SPINACH Investigators. Association between stress hormones and perioperative risk in patients with critical limb ischemia undergoing revascularization. *J Vasc Surg.* 2019 Sep;70(3):795–805.
31. Banno H, Ikeda S, Kawai Y, Fujii T, Akita N, Takahashi N, Sugimoto M, **Kodama A**, Komori K: Suprarenal fixation is associated with worse midterm renal function after endovascular abdominal aortic aneurysm repair compared with infrarenal fixation. *J Vasc Surg.* 71(2):450–456, 2020
32. Koyama A, **Kodama A**, Tsuruoka T, Fujii T, Sugimoto M, Banno H, Komori K: Zinc Deficiency and Clinical Outcome after Infrainguinal Bypass Grafting for Critical Limb Ischemia. *Circulation Reports.* Volume 2, No3, 167–173, 2020
33. Banno H, Ikeda S, Kawai Y, Meshii K, Takahashi N, Sugimoto M, **Kodama A**, Komori K: Early and midterm outcomes of celiac artery coverage during thoracic endovascular aortic repair. *J Vasc Surg.* 72(5):1552–1557, 2020
34. Fujii T, Banno H, **Kodama A**, Sugimoto M, Akita N, Tsuruoka T, Sakakibara M, Komori K: Aneurysm Sac Thrombus Volume Predicts Aneurysm Expansion with Type II Endoleak After Endovascular Aneurysm Repair. *Ann Vasc.* 66:85–94, 2020
35. Katagiri T, Kondo K, Shibata R, Hayashida R, Shintani S, Yamaguchi S, Shimizu Y, Unno K, Kikuchi R, **Kodama A**, Takanari K, Kamei Y, Komori K, Murohara T: Therapeutic Angiogenesis using Autologous Adipose-derived Regenerative Cells in Patients with Critical Limb Ischaemia in Japan: A Clinical Pilot Study. *Scientific Reports*, 29;10(1):16045, 2020
36. Takahara M, Iida O, Soga Y, **Kodama A**, Terashi H, Suzuki K, Sugimoto I, Azuma N. Heterogeneity of Age and Its Associated Features in Patients with Critical Limb Ischemia. *Ann Vasc Dis.* 2020 Sep 25;13(3):300–307.

37. Takahara M, Iida O, Soga Y, **Kodama A**, Terashi H, Utsunomiya M, Okazaki J, Azuma N, The Spinach Study Investigators. Duration from Wound Occurrence to Referral to a Vascular Center in Japanese Patients with Critical Limb Ischemia. *Ann Vasc Dis*. 2020 Mar 25;13(1):56–62.
38. Takahara M, Iida O, Soga Y, **Kodama A**, Terashi H, Azuma N; SPINACH study investigators. Current and Past Obesity in Japanese Patients with Critical Limb Ischemia Undergoing Revascularization. *J Atheroscler Thromb*. 2021 ;28(1):44–51.
39. Iida O, Takahara M, Soga Y, **Kodama A**, Terashi H, Azuma N; SPINACH investigators. The Association of Preoperative Characteristics with Reintervention Risk in Patients Undergoing Revascularization for Chronic Limb–Threatening Ischemia. *J Atheroscler Thromb*. 2021 Jan 1;28(1):52–65.
40. Utsunomiya M, Takahara M, Iida O, Soga Y, Hata Y, Shiraki T, Nagae A, Kato T, Kobayashi N, Suematsu N, Tasaki J, Horie K, Uchida D, **Kodama A**, Azuma N, Nakamura M. Limb–Based Patency After Surgical vs Endovascular Revascularization in Patients with Chronic Limb–Threatening Ischemia. *J Endovasc Ther*. 2020 Aug;27(4):584–594
41. **Kodama A**, Meecham L, Popplewell M, Bate G, Conte MS, Bradbury AW. Editor’s Choice – Relationship Between Global Limb Anatomic Staging System (GLASS) and Clinical Outcomes Following Revascularisation for Chronic Limb Threatening Ischaemia in the Bypass Versus Angioplasty in Severe Ischaemia of the Leg (BASIL)–1 Trial. *Eur J Vasc Endovasc Surg*. 2020 Nov;60(5):687–695.
42. Meshii K, Sugimoto M, Niimi K, **Kodama A**, Banno H, Komori K: The association between perioperative embolization of hypogastric arteries and type II endoleaks after endovascular aortic aneurysm repair. *J Vasc Surg*. 73(1):99–107, 2021
43. Banno H, Kawai Y, Sato T, Tsuruoka T, Sugimoto M, **Kodama A**, Komori K: Low–density vulnerable thrombus/plaque volume on preoperative CT predicts spinal cord ischemia after endovascular repair for thoracic aortic aneurysm. *J Vasc Surge*, S0741–5214(20)32156–X, 2020【in press】
44. Shiraki T, Takahara M, Iida O, Soga Y, **Kodama A**, Miyashita Y, Shintani Y, Endo M, Azuma N; SPINACH study investigators. Baseline and Updated Information on Nutritional Status in Patients With Chronic Limb Threatening Ischaemia Undergoing Revascularisation. *Eur J Vasc Endovasc Surg*.2020 in press.