英語論文(First Author)	
1	Reduced Plasma Eicosapentaenoic Acid-Arachidonic Acid Ratio in Peripheral Artery Disease: Angiology. 2013 Feb; 64(2):112-8.
2	Short and mid-term results of balloon angioplasty for renal artery fibromuscular dysplasia: Cardiovasc Interv Ther. 2014 Oct; 29(4):293-9.
3	Iliac artery fibromuscular dysplasia successfully treated by balloon angioplasty guided by intravascular ultrasound and pressure wire measurements: A case report Journal of cardiology cases. 2014 May:203-207
4	Outcomes of Zilver PTX Stent Implantation for the Treatment of Complex Femoropopliteal Artery Disease: Heart Vessels. 2016 31(2):152-7.
5	Endovascular therapy by CO(2) angiography to prevent contrast-induced nephropathy in patients with chronic kidney disease: A prospective multicenter trial of CO(2) angiography registry. Catheter Cardiovasc Interv. 2015 85(5):870-7.
6	Clinical Outcomes of Renal Artery Stenting for Hypertension and Chronic Kidney Disease over 12 Months in J-RAS study: A Prospective, Single-Arm, Multi-center Clinical Study: Circulation J 2015;79(2):351-359
7	Nitinol stent implantation for femoropopliteal disease in patients on hemodialysis: results of the 3-year retrospective multicenter APOLLON study: Heart and Vessels 2016 Sep; 31(9):1476-83.
8	Appropriate hemostasis by routine use of ultrasound echo-guided transfemoral access and vascular closure devices after lower extremity percutaneous revascularization. Cardiovasc Interv Ther. 2017 Jul; 32(3):233-240.
9	Angiographic dissection patterns and patency outcomes of post balloon angioplasty for superficial femoral artery disease J Endovasc Ther. 2017 Jun; 24(3):367-375.
10	The Luminal gain of post endovascular therapy in Calcified superficial femoral artery Occlusive DiseasE assessed by intravascular ultrasound (CODE study) J Endovasc Ther. 2019 .
11	Intravascular Ultrasound-Guided Interventions for Below-the-Knee Disease in Patients With Chronic Limb-Threatening Ischemia. J Endovasc Ther. 2020 Aug;27(4):565-574.
12	Clinical outcomes of endovascular procedure using VIABAHN® VBX covered stent in complex aortoiliac artery disease: Result from AVOCADO study. Catheter Cardiovasc Interv. 2021 Aug 18.
英語論文(Co-Author)	
1	Yokoo T, Kawaharada T, Fujihara M, Hayashida A, Matsuoka D, Ooba Y, Koike A. [Differentiation of acute coronary syndrome and ulcerative colitis as causes of elevated macro creatine kinase in a patient with effort angina pectoris: a case report]. J Cardiol. 2006 Nov;48(5):279-83.
2	Kusaba H, Fujihara M, Nagashima R, Kaji Y, Baba E, Nakano S. Systemic chemotherapy of TS-1 and cisplatin for gastric signet-ring cell carcinoma presenting as cardiac tamponade. Med Oncol. 2008;25(2):241-4.
3	Kawarada O, Yokoi Y, Higashimori A, Waratani N, Fujihara M, Kume T, Sakata K, Honda Y, Fitzgerald PJ. Assessment of macro- and microcirculation in contemporary critical limb ischemia. Catheter Cardiovasc Interv. 2011 Dec 1;78(7):1051-8.
4	Kawarada O, Fujihara M, Higashimori A, Yokoi Y, Honda Y, Fitzgerald PJ. Predictors of adverse clinical outcomes after successful infrapopliteal intervention. Catheter Cardiovasc Interv. 2012 Nov 1;80(5):861-71.
5	Kawarada O, Higashimori A, Noguchi M, Waratani N, Yoshida M, Fujihara M, Yokoi Y, Honda Y, Fitzgerald PJ. Duplex criteria for in-stent restenosis in the superficial femoral artery. Catheter Cardiovasc Interv. 2013 Mar;81(4):E199-205.
6	Higashimori A, Morioka N, Shiotani S, Fujihara M, Fukuda K, Yokoi Y. Long-term results of primary stenting for subclavian artery disease. Catheter Cardiovasc Interv. 2013 Nov 1;82(5):696-700.
7	Fukuda K, Higashimori A, Fujihara M, Yokoi Y. The breakage of a drug-eluting stent delivery system leading to limb amputation. Cardiovasc Interv Ther. 2014 Jan;29(1):60-4.

8	Higashimori A, Kawarada O, Morioka N, Shiotani S, Fujihara M, Fukuda K, Yokoi Y. Impact of changing PSVR thresholds on the patency rates of SFA recanalisation with self-expanding nitinol stents. EuroIntervention. 2013 Dec;9(8):964-7.
9	Kawarada O, Yokoi Y, Higashimori A, Fujihara M, Sakamoto S, Ishihara M, Yasuda S, Ogawa H. Impact of end-stage renal disease in patients with critical limb ischaemia undergoing infrapopliteal intervention. EuroIntervention. 2014 Oct;10(6):753-60.
10	Soga Y, Tomoi Y, Fujihara M, Okazaki S, Yamauchi Y, Shintani Y, Suzuki K; SCALLOP Investigators. Perioperative and Long-term Outcomes of Endovascular Treatment for Subclavian Artery Disease From a Large Multicenter Registry. J Endovasc Ther. 2015 Aug;22(4):626-33.
11	Tomoi Y, Soga Y, Fujihara M, Iida O, Shintani Y, Zen K, Ando K. Outcomes of Endovascular Therapy for Upper Extremity Peripheral Artery Disease With Critical Hand Ischemia. J Endovasc Ther. 2016 Oct;23(5):717-22.
12	Tomoi Y, Soga Y, Iida O, Fujihara M, Ando K. Impact of Cilostazol Administration on Femoropopliteal In-Stent Restenosis. J Endovasc Ther. 2017 Oct;24(5):640-646.
13	Chung WJ, Soga Y, Tomoi Y, Fujihara M, Okazaki S, Yamauchi Y, Shintani Y, Suzuki K; SCALLOP Investigators. Clinical Impact of Intravascular Ultrasound Guidance During Endovascular Treatment of Subclavian Artery Disease. J Endovasc Ther. 2017 Oct;24(5):731-738.
14	Tsujimura T, Iida O, Fujita M, Masuda M, Okamoto S, Ishihara T, Nanto K, Kanda T, Okuno S, Matsuda Y, Fujihara M, Yokoi Y, Mano T. Two-year Clinical Outcomes Post Implantation of EpicTM Self-Expanding Nitinol Stents for the Aortoiliac Occlusive Disease in Patients with Peripheral Arterial Disease. J Atheroscler Thromb. 2018 Apr 1;25(4):344-349.
15	Kawarada O, Zen K, Hozawa K, Ayabe S, Huang HL, Choi D, Kim SH, Kim J, Kato T, Tsubakimoto Y, Nakama T, Ichihashi S, Fujimura N, Higashimori A, Fujihara M, Sato T, Yan BP, Pang SY, Wongwanit C, Leong YP, Chua B, George RK, Yokoi Y, Motomura H, Obara H. Contemporary critical limb ischemia: Asian multidisciplinary consensus statement on the collaboration between endovascular therapy and wound care. Cardiovasc Interv Ther. 2018 Oct;33(4):297-312.
16	Yamauchi Y, Takahara M, Shintani Y, Iida O, Sugano T, Yamamoto Y, Kawasaki D, Fujihara M, Hirano K, Yokoi H, Miyamoto A, Nakamura M; OMOTENASHI investigators. One-Year Outcomes of Endovascular Therapy for Aortoiliac Lesions. Circ Cardiovasc Interv. 2019 Jan;12(1):e007441.
17	Takahara M, Iida O, Soga Y, Kawasaki D, Fujihara M. Mortality risk of femoropopliteal paclitaxel-coated devices remains inconclusive. Cardiovasc Interv Ther. 2019 Apr;34(2):194-195. doi: 10.1007/s12928-019-00573-1.
18	Tsujimura T, Takahara M, Iida O, Hiramori S, Hayakawa N, Karashima E, Miura T, Teramura M, Ichihashi K, Kojima T, Aihara H, Yamaoka T, Fujihara M, Tosaka A, Doijiri T, Mano T, Soga Y. One-Year Clinical Outcomes following Implantation of InnovaTM Self-Expanding Nitinol Stents in Patients with Peripheral Artery Diseases Presenting Femoropopliteal Artery Lesions. J Atheroscler Thromb. 2019 Oct 1;26(10):847-855.
19	Tomoi Y, Soga Y, Takahara M, Fujihara M, Iida O, Kawasaki D, Ando K. Spot stenting versus full coverage stenting after endovascular therapy for femoropopliteal artery lesions. J Vasc Surg. 2019 Oct;70(4):1166-1176.
20	Nanto K, Iida O, Fujihara M, Yokoi Y, Tomoi Y, Soga Y, Fujita M, Masuda M, Okamoto S, Ishihara T, Kanda T, Tsujimura T, Matsuda Y, Okuno S, Mano T. Five-Year Patency and its Predictors after Endovascular Therapy for Aortoiliac Occlusive Disease. J Atheroscler Thromb. 2019 Nov 1;26(11):989-996.
21	Soga Y, Fujihara M, Tomoi Y, Iida O, Ishihara T, Kawasaki D, Ando K. One-Year Late Lumen Loss between A Polymer-Coated Paclitaxel-Eluting Stent (Eluvia) and a Polymer-Free Paclitaxel-Coated Stent (Zilver PTX) for Femoropopliteal Disease. J Atheroscler Thromb. 2020 Feb 1;27(2):164-171.
22	Katsuki T, Takahara M, Soga Y, Okamoto S, Iida O, Fujihara M, Kawasaki D, Ando K. Mortality Risk Following Application of a Paclitaxel-Coated Stent in Femoropopliteal Lesions. J Endovasc Ther. 2019 Oct;26(5):593-599.
23	Morishita Y, Fujihara M. Incidence of deep vein thrombosis from screening by venous ultrasonography in Japanese patients. Heart Vessels. 2020 Mar;35(3):340-345.
24	Yamauchi Y, Takahara M, Iida O, Shintani Y, Sugano T, Yamamoto Y, Kawasaki D, Fujihara M, Soga Y, Hirano K, Yokoi H, Miyamoto A, Nakamura M; OMOTENASHI investigators. Independent predictors of loss of primary patency at 1 year after aortoiliac stent implantation. Heart Vessels. 2020 May;35(5):614-619.
25	Tomoi Y, Takahara M, Fujihara M, Fukunaga M, Iwasaki Y, Kozuki A, Sasaki S, Soga Y, Ando K. IVUS Assessment of the Crossing Pathway of an Intraluminal Reentry Device Used in the Primary Treatment of Infrainguinal Chronic Total Occlusions. J Endovasc Ther. 2020 Feb;27(1):69-76.

26	Soga Y, Fujihara M, Iida O, Kawasaki D, Hirano K, Yokoi H, Miyamoto A, Kichikawa K, Nakamura M, Ohki T, Diaz-Cartelle J, Gray WA, Müller-Hülsbeck S. Japanese Patients Treated in the IMPERIAL Randomized Trial Comparing Eluvia and Zilver PTX Stents. Cardiovasc Intervent Radiol. 2020 Feb;43(2):215-222.
27	Takahara M, Iida O, Kohsaka S, Soga Y, Fujihara M, Shinke T, Amano T, Ikari Y; J-EVT and J-PCI investigators. Diabetes mellitus and other cardiovascular risk factors in lower-extremity peripheral artery disease versus coronary artery disease: an analysis of 1,121,359 cases from the nationwide databases. Cardiovasc Diabetol. 2019 Nov 15;18(1):155.
28	Takahara M, Iida O, Kohsaka S, Soga Y, Fujihara M, Shinke T, Amano T, Ikari Y; J-EVT and J-PCI investigators. Presentation Pattern of Lower Extremity Endovascular Intervention versus Percutaneous Coronary Intervention. J Atheroscler Thromb. 2020 Aug 1;27(8):761-768.
29	Tomoi Y, Kuramitsu S, Soga Y, Fujihara M, Iida O, Kawasaki D, Ando K. Vascular Response After FP-PES Versus Polymer-Free Paclitaxel-Eluting Stent Implantation in Femoropopliteal Artery Lesions: A Serial Intravascular Ultrasound Study. JACC Cardiovasc Interv. 2020 Feb 24;13(4):535-537.
30	Fukunaga M, Fujii K, Takahara M, Fujihara M, Utsunomiya M, Sasaki S, Tsubakimoto Y, Shiraki T, Inoue T, Aihara H, Iwasaki Y, Azuma K, Nakata T, Iida O, Yokoi H, Yokoi Y, Kawasaki D. Assessment of Microvasculature After Intervention as a Predictor of Wound Healing in Patients With Tissue Loss. JACC Cardiovasc Interv. 2020 Apr 27;13(8):976-985.
31	Iida O, Takahara M, Kohsaka S, Soga Y, Fujihara M, Mano T, Shinke T, Amano T, Ikari Y. Impact of Institutional Volume on Critical In-Hospital Complications Adjusted for Patient- and Limb-Related Characteristics: An Analysis of a Nationwide Japanese Registry of Endovascular Interventions for PAD. J Endovasc Ther. 2020 Oct;27(5):739-748.
32	Yamauchi Y, Takahara M, Shintani Y, Iida O, Sugano T, Yamamoto Y, Kawasaki D, Fujihara M, Hirano K, Soga Y, Tsubakimoto Y, Yokoi H, Miyamoto A, Nakamura M. Three-Year Outcomes of Endovascular Therapy for Aortoiliac Lesions. Circ Cardiovasc Interv. 2020 Aug;13(8):e009168.
33	Iida O, Takahara M, Soga Y, Fujihara M, Kawasaki D, Hirano K, Choi D, Mano T. A Novel Angiographic Risk Score for Femoropopliteal Interventions. J Endovasc Ther. 2020 Dec;27(6):967-973.
34	Lookstein RA, Haruguchi H, Ouriel K, Weinberg I, Lei L, Cihlar S, Holden A; IN.PACT AV Access Investigators. Drug-Coated Balloons for Dysfunctional Dialysis Arteriovenous Fistulas. N Engl J Med. 2020 Aug 20;383(8):733-742.
35	Utsunomiya M, Takahara M, Fujihara M, Shiraki T, Kozuki A, Fukunaga M, Tan M, Yoshioka R, Tomoi Y, Mori S, Iwasaki Y, Sasaki S, Nakamura M. Effect of Target Lesion Revascularization on Restenosis Lesions of the Superficial Femoral Artery without Recurred Symptoms after Endovascular Therapy. J Atheroscler Thromb. 2021 Jun 1;28(6):643-655.
36	Tsujimura T, Takahara M, Iida O, Kohsaka S, Soga Y, Fujihara M, Mano T, Ohya M, Shinke T, Amano T, Ikari Y; J-EVT and J-PCI investigators; Japanese Association of Cardiovascular Intervention and Therapeutics. In-Hospital Outcomes after Endovascular Therapy for Acute Limb Ischemia: A Report from a Japanese Nationwide Registry [J-EVT Registry]. J Atheroscler Thromb. 2020 Nov 20.
37	Takahara M, Soga Y, Fujihara M, Kawasaki D, Kozuki A, Iida O. Inverse association of diabetes and dialysis with the severity of femoropopliteal lesions and chronic total occlusion: a cross-sectional study of 2056 cases. BMC Cardiovasc Disord. 2020 Dec 9;20(1):514.
38	Tsujimura T, Takahara M, Iida O, Soga Y, Katsuki T, Fujihara M, Kawasaki D, Kozuki A, Mano T. Clinical outcomes of polymer-free, paclitaxel-coated stents vs stent grafts in peripheral arterial disease patients with femoropopliteal artery lesions. J Vasc Surg. 2021 Jun;73(6):1998-2008.e1.
39	Tomoi Y, Takahara M, Soga Y, Fujihara M, Iida O, Kawasaki D, Kozuki A, Ando K. Prognostic Value of the CHA2DS2-VASc Score after Endovascular Therapy for Femoral Popliteal Artery Lesions. J Atheroscler Thromb. 2021 Jan 22.
40	Takahara M, Soga Y, Fujihara M, Kawasaki D, Kozuki A, Iida O. Association of Age with Mortality Rate after Femoropopliteal Endovascular Therapy for Intermittent Claudication. J Atheroscler Thromb. 2021 Feb 27.
41	Katsuki T, Yamaji K, Soga Y, Iida O, Fujihara M, Kawasaki D, Ando K. New lesion after endovascular therapy of femoropopliteal lesions for intermittent claudication. Catheter Cardiovasc Interv. 2021 May 21.
42	Hata Y, Iida O, Ito N, Soga Y, Fukunaga M, Kawasaki D, Fujihara M, Kozuki A, Takahara M, Mano T. Roles of Angioplasty With Drug-Coated Balloon for Chronic Ischemia in Wound Healing. J Endovasc Ther. 2021 Jun 21:
43	Iida O, Fujihara M, Kawasaki D, Mori S, Yokoi H, Miyamoto A, Kichikawa K, Nakamura M, Ohki T, Diaz-Cartelle J, Müller-Hülsbeck S, Gray WA, Soga Y. 24-Month Efficacy and Safety Results from Japanese Patients in the IMPERIAL Randomized Study of the Eluvia Drug-Eluting Stent and the Zilver PTX Drug-Coated Stent. Cardiovasc Intervent

Radiol. 2021 Sep;44(9):1367-1374.

44 Tsukizawa T, Fujihara M. Relationship between in-hospital event rates and high bleeding risk score in patients undergoing primary percutaneous coronary intervention for acute myocardial infarction. Cardiovasc Interv Ther. 2021 Aug 18.

45