

- 1) Taketsugu Tsuchiya, Takaaki Takamura, Yoshimitsu Soga, Osamu Iida, Keisuke Hirano, Kenji Suzuki, Terutoshi Yamaoka, Yusuke Miyashita, Michihiko Kitayama, Koji Kajinami

Clinical impact and risk stratification of balloon angioplasty for femoropopliteal disease in nitinol stenting era: Retrospective multicenter study using propensity score matching analysis

SAGE Open Medicine January-December 2016 vol. 4 2050312116660116

- 2) Kenji Suzuki, Mitsuyoshi Takahara, Yoshiaki Shintani, Akiko Tanaka, Yoshimitsu Soga, Terutoshi Yamaoka, Atsushi Tosaka, Shinya Sasaki, Daizo Kawasaki, Taketsugu Tsuchiya

Retrospective Multicenter Comparison of S.M.A.R.T. CONTROL and MISAGO Stents in Treatment of Femoropopliteal Lesions

Journal of Vascular and Interventional Radiology Available online 24 August 2016

- 3) Kenji Suzuki, Yukiko Mizutani, Yoshimitsu Soga, Osamu Iida, Daizo Kawasaki, Yasutaka Yamauchi, Keisuke Hirano, Ryouji Koshida, Daisuke Kamoi, Junichi Tazaki, Michiaki Higashitani, Yoshiaki Shintani, Terutoshi Yamaoka, Shinya Okazaki, Nobuhiro Suematsu, Taketsugu Tsuchiya, Yusuke Miyashita, Norihiko Shinozaki, Hiroki Takahashi, Naoto Inoue,

Efficacy and Safety of Endovascular Therapy for Aortoiliac TASC D Lesions

ANGIOLOGY March 15, 2016 0003319716638005

- 4) Shinsuke Mii, Kiyoshi Tanaka, Ryoichi Kyuragi, Sosei Kuma, Akio Kodama, Ryota Fukunaga, Ichiro Masaki, Jin Okazaki, Daihiko Eguchi, Terutoshi Yamaoka, Akira Mori, Atsushi Guntani, Jun Okadome

Raison d'être of Tibial Artery Bypass for Intermittent Claudication in the Era of Endovascular Therapy

Circulation Journal Vol. 80 (2016) No. 6 1460-1469

- 5) Koichi Morisaki,Terutoshi Yamaoka,Kazuomi Iwasa,Takahiro Ohmine

Popliteal–Peroneal Artery Bypass via the Posterior Approach: A Case Report

Annals of Vascular Surgery Volume 36, October 2016, Pages 292.e1–292.e4

- 6) Osamu Iida, Masato Nakamura, Yasutaka Yamauchi, Masashi Fukunaga, Yoshiaki Yokoi, Hiroyoshi Yokoi, Yoshimistu Soga, Kan Zen, Nobuhiro Suematsu, MD, Naoto Inoue, Kenji Suzuki, Keisuke Hirano, Yoshiaki Shintani, Yusuke Miyashita, Kazushi Urasawa, Ikuro Kitano, Taketsugu Tsuchiya, Kenji Kawamoto, Terutoshi Yamaoka, Michitaka Uesugi, Toshiro Shinke, Yasuhiro Oba, Norihiko Ohura, Masaaki Uematsu, Mitsuyoshi Takahara, Toshimitsu Hamasaki, Shinsuke Nanto

3-Year Outcomes of the OLIVE Registry, a Prospective Multicenter Study of Patients With Critical Limb Ischemia
A Prospective, Multi-Center, Three-Year Follow-Up Study on Endovascular Treatment for Infra-Inguinal Vessel in Patients With Critical Limb Ischemia

J Am Coll Cardiol Interv. 2015;8(11):1493-1502.

- 7) Taketsugu Tsuchiya,Osamu Iida,Tatsuya Shiraki,Yoshimitsu Soga,Keisuke Hirano,Kenji Suzuki,Terutoshi Yamaoka,Yusuke Miyashita,Michihiko Kitayama,Koji Kajinami

Clinical characteristics of patients with Rutherford category IV, compared with V and VI.

SAGE Open Medicine, 2015, 3: 2050312115597087.

- 8) Shin Okamoto, Osamu Iida,Masato Nakamura, Yasutaka Yamauchi, Masashi Fukunaga, Yoshiaki Yokoi, Yoshimitsu Soga, Kan Zen, Keisuke Hirano,Nobuhiro Suematsu, Kenji Suzuki, Yoshiaki Shintani, Yusuke Miyashita, Kazushi Urasawa, Ikuro Kitano, Terutoshi Yamaoka, Norihiko Ohura, Toshimitsu Hamasaki, Masaaki Uematsu, Shinsuke Nanto, on behalf of the OLIVE Investigators

Postprocedural Skin Perfusion Pressure Correlates With Clinical Outcomes 1 Year After Endovascular Therapy for Patients With Critical Limb Ischemia

ANGIOLOGY October 2015 vol. 66 no. 9 862-866

- 9) Yoshimitsu Soga, Mitsuyoshi Takahara, Osamu Iida, Kenji Suzuki, Keisuke Hirano, Daizo Kawasaki, Yoshiaki Shintani, Terutoshi Yamaoka, Kenji Ando

Relationship Between Primary Patency and Lesion Length Following Bare Nitinol Stent Placement for Femoropopliteal Disease

J Endovasc Ther October 5, 2015 1526602815610118

- 10) Tatsuya Shiraki, Osamu Iida, Mitsuyoshi Takahara, Yoshimitsu Soga, Shinsuke Mii, Jin Okazaki, Sosei Kuma, Terutoshi Yamaoka, Daisuke Kamoi, Yoshiaki Shintani, Toshinobu Ishikawa, Ikuro Kitano, Masaaki Uematsu

Predictors of 2-Year Mortality and Risk Stratification After Surgical or Endovascular Revascularization of Infringuinal Artery Disease in Hemodialysis Patients With Critical Limb Ischemia

J Endovasc Ther August 14, 2015 1526602815599413

- 11) T. Shiraki, O. Iida, M. Takahara, Y. Soga, Y. Yamauchi, K. Hirano, D. Kawasaki, M. Fujihara, M. Utsunomiya, J. Tazaki, T. Yamaoka, Y. Shintani, N. Suematsu, K. Suzuki, Y. Miyashita, T. Tsuchiya, M. Uematsu

Predictors of Delayed Wound Healing after Endovascular Therapy of Isolated Infrapopliteal Lesions Underlying Critical Limb Ischemia in Patients with High Prevalence of Diabetes Mellitus and Hemodialysis

European Journal of Vascular and Endovascular Surgery 49.5 (2015): 565-573

- 12) Masatsugu Nakano, Keisuke Hirano, Osamu Iida, Yasutaka Yamauchi, Yoshimitsu Soga, Daizo Kawasaki, Junichi Tazaki, Kenji Suzuki, Masahiko Fujiwara, Terutoshi Yamaoka

Clinical Efficacy of Infrapopliteal Endovascular Procedures for Hemodialysis Patients with Critical Limb Ischemia

Annals of Vascular Surgery Volume 29, Issue 6, August 2015, Pages 1225–1234

- 13) Osamu Iida, Mitsuyoshi Takahara, Yoshimitsu Soga, Kenji Suzuki, Keisuke Hirano, Daizo Kawasaki, Yoshiaki Shintani, Nobuhiro Suematsu, Terutoshi Yamaoka, Shinsuke Nanto, Masaaki Uematsu

Shared and Differential Factors Influencing Restenosis Following Endovascular Therapy Between TASC (Trans-Atlantic Inter-Society Consensus) II Class A to C and D Lesions in the Femoropopliteal Artery

J Am Coll Cardiol Interv. 2014;7(7):792-798.

- 14) Osamu Iida, Mitsuyoshi Takahara, MD, Yoshimitsu Soga, Yasutaka Yamauchi, Keisuke Hirano, Junichi Tazaki, Terutoshi Yamaoka, Nobuhiro Suematsu, Kenji Suzuki, Yoshiaki Shintani, Yusuke Miyashita, Masaaki Uematsu

Impact of Angiosome-Oriented Revascularization on Clinical Outcomes in Critical Limb Ischemia Patients Without Concurrent Wound Infection and Diabetes

J Endovasc Ther October 2014 21: 607-615

- 15) Osamu Iida, Mitsuyoshi Takahara, Yoshimitsu Soga, Kenji Suzuki, Keisuke Hirano, Daizo Kawasaki, Yoshiaki Shintani, Nobuhiro Suematsu, Terutoshi Yamaoka, Shinsuke Nanto, and Masaaki Uematsu

Efficacy of Intravascular Ultrasound in Femoropopliteal Stenting for Peripheral Artery Disease With TASC II Class A to C Lesions

Journal of Endovascular Therapy 2014, Vol. 21, No. 4, pp. 485-492

16) Masatsugu Nakano, Keisuke Hirano, Yasutaka Yamauchi, Osamu Iida, Yoshimitsu Soga, Daizo Kawasaki, Terutoshi Yamaoka, Nobuhiro Suematsu, Kenji Suzuki

Three-year clinical outcome after infrapopliteal angioplasty for critical limb ischemia in hemodialysis patients with minor or major tissue loss

Catheterization and Cardiovascular Interventions 86(2), 289–298, August 2015

17) Yoshimitsu Soga, Shinsuke Mii, Osamu Iida, Jin Okazaki, Sosei Kuma, Keisuke Hirano, Kenji Suzuki, Daizo Kawasaki, Terutoshi Yamaoka, Daisuke Kamoi, and Yoshiaki Shintani

Propensity Score Analysis of Clinical Outcome After Bypass Surgery vs. Endovascular Therapy for Infrainguinal Artery Disease in Patients With Critical Limb Ischemia

Journal of Endovascular Therapy 2014, Vol. 21, No. 2, pp. 243-253

18) Soga Y, Iida O, Suzuki K, Hirano K, Kawasaki D, Shintani Y, Suematsu N, Yamaoka T, Tsuchiya T, Miyashita Y, Okazaki S, Shinozaki N, Takahashi H

Clinical impact of bisoprolol versus carvedilol in patients undergoing femoropopliteal stenting.

Journal of Atherosclerosis and Thrombosis 2014, 21(7):691-702

19) O. Iida, Y. Soga, M. Takahara, D. Kawasaki, Y. Yamauchi, K. Suzuki, K. Hirano, R. Koshida, D. Kamoi, J. Tazaki, M. Higashitani, Y. Shintani, T. Yamaoka, S. Okazaki, N. Suematsu, T. Tsuchiya, Y. Miyashita, N. Shinozaki, H. Takahashi, M. Uematsu

Perioperative Complications After Aorto-iliac Stenting: Associated Factors and Impact on Follow-up Cardiovascular Prognosis

European Journal of Vascular and Endovascular Surgery, 2014,47(2):
131-138

20) Kiyonori Nanto, Osamu Iida, Mitsuyoshi Takahara, Yoshimitsu Soga, Kenji Suzuki, Keisuke Hirano, Daizo Kawasaki, Yoshiaki Shintani, Nobuhiro Suematsu, Terutoshi Yamaoka, Masaaki Uematsu

Effect of Cilostazol Following Endovascular Intervention for Peripheral Artery Diseases

Angiology. 2014 Sep 15. pii: 0003319714551361. [Epub ahead of print]

21) Atsushi Aoki, Takanori Suezawa, Shu Yamamoto, Kenji Sangawa, Hiroyuki Irie, Nobuhiro Mayazaki, Satoshi Kamihira, Terutoshi Yamaoka

Effect of antifibrinolytic therapy with tranexamic acid on abdominal aortic aneurysm shrinkage after endovascular repair

Journal of Vascular Surgery, 2014;59 (5):1203-1208

22) O. Iida, M. Takahara, Y. Soga, Y. Yamauchi, K. Hirano, J. Tazaki, T. Yamaoka, N. Suematsu, K. Suzuki, Y. Shintani

Worse Limb Prognosis for Indirect versus Direct Endovascular Revascularization only in Patients with Critical Limb Ischemia Complicated with Wound Infection and Diabetes Mellitus

European Journal of Vascular and Endovascular Surgery,
2014;46(5):575-582

23) Hideaki Aihara ¹⁾, Yoshimitsu Soga²⁾, Shinsuke Mii⁴⁾, Jin Okazaki³⁾, Terutoshi Yamaoka⁵⁾, Daisuke Kamo⁶⁾, Yoshiaki Shintani⁷⁾, Toshinobu Ishikawa⁸⁾, on behalf of the RECANALISE Registry Investigators

Comparison of long-term outcome after endovascular therapy versus bypass surgery in claudication patients with Trans-Atlantic Inter-Society Consensus-II C and D femoropopliteal disease

Circulation Journal Vol. 78 (2014) No. 2 457-464

24) Takahiro Ohmine, Kazuomi Iwasa, Terutoshi Yamaoka

Successful Percutaneous Coil Embolization of a Ruptured Internal Iliac Artery Aneurysm Remnant after Abdominal Aortic Aneurysm Repair via the Deep Iliac Circumflex Artery

Ann Vasc Dis. 2014; 7(1): 83–86.

25) Guntani A, Yamaoka T, Okadome J, Kawakubo E, Kyuragi R, Homma K, Iwasa K, Matsumoto T, Okazaki J, Maehara Y.

Evaluation of the Paramalleolar Bypass for Critical Limb Ischemia Patients on Hemodialysis with Diabetes Mellitus and Chronic Renal Failure.

Ann Vasc Dis. 2013;6(3):596-600.

26) Suzuki K, Iida O, Yamauchi Y, Nakano M, Soga Y, Kawasaki D, Tazaki J, Yamaoka T, Suematsu N, Shintani Y, Miyashita Y, Inoue N, Meguro T.

Impact of Diabetes Mellitus on Critical Limb Ischemia With Below the Knee Disease: Japan Below-the-Knee Artery Treatment Subanalysis.

Angiology. 2013 Aug 21. [Epub ahead of print]

27) Soga Y, Iida O, Suzuki K, Hirano K, Kawasaki D, Shintani Y, Suematsu N, Yamaoka T.

Initial and 3-year results after subintimal versus intraluminal approach for long femoralpopliteal occlusion treated with a self-expandable nitinol stent.

J Vasc Surg. 2013 Aug 1. S0741-5214(13)01143-9.

- 28) Takahara M, Iida O, Soga Y, Hirano K, Yamaoka T, Kawasaki D, Suzuki K, Suematsu N, Shintani Y, Miyashita Y, Kaneto H, Shimomura I.

Seasonal variation in critical limb ischemia requiring endovascular therapy: an analysis of a multicenter database of Japanese patients with critical limb ischemia undergoing endovascular therapy.

J Atheroscler Thromb. 2013 Sep 24;20(9):726-32.

- 29) Iida O, Soga Y, Takahara M, Kawasaki D, Yamauchi Y, Suzuki K, Hirano K, Ryoji K, Kamoi D, Tazaki J, Higashitani M, Shintani Y, Yamaoka T, Okazaki S, Suematsu N, Tsuchiya T, Miyashita Y, Shinozaki N, Takahashi H, Uematsu M.

Efficacy of the S.M.A.R.T. Control vs. other stents for aortoiliac occlusive disease in contemporary clinical practice.

J Endovasc Ther. 2013 Jun;20(3):431-9.

- 30) Soga Y, Mii S, Aihara H, Okazaki J, Kuma S, Yamaoka T, Kamoi D, Shintani Y, Ishikawa T; ReCANALISE Investigators.

Comparison of clinical outcome after bypass surgery vs. endovascular therapy for infrainguinal artery disease in patients with critical limb ischemia.

Circ J. 2013;77(8):2102-9

- 31) Iida O, Soga Y, Yamauchi Y, Hirano K, Kawasaki D, Yamaoka T, Takahara M, Uematsu M.

Clinical efficacy of endovascular therapy for patients with critical limb ischemia attributable to pure isolated infrapopliteal lesions.

J Vasc Surg. 2013 Apr;57(4):974-981

- 32) Iida O, Nakamura M, Yamauchi Y, Kawasaki D, Yokoi Y, Yokoi H, Soga Y, Zen K, Hirano K, Suematsu N, Inoue N, Suzuki K, Shintani Y, Miyashita Y, Urasawa K, Kitano I, Yamaoka T, Murakami T, Uesugi M, Tsuchiya T, Shinke T, Oba Y, Ohura N, Hamasaki T, Nanto S; OLIVE Investigators.

Endovascular treatment for infrainguinal vessels in patients with critical limb ischemia: OLIVE registry, a prospective, multicenter study in Japan with 12-month follow-up.

Circ Cardiovasc Interv. 2013 Feb;6(1):68-76.

- 33) Iida O, Takahara M, Soga Y, Yamauchi Y, Hirano K, Tazaki J, Yamaoka T, Suematsu N, Suzuki K, Shintani Y, Miyashita Y, Uematsu M.

Worse Limb Prognosis for Indirect versus Direct Endovascular Revascularization only in Patients with Critical Limb Ischemia Complicated with Wound Infection and Diabetes Mellitus.

Eur J Vasc Endovasc Surg. 2013 Sep 11

- 34) Soga Y, Iida O, Kawasaki D, Hirano K, Yamaoka T, Suzuki K.

Impact of cilostazol on angiographic restenosis after balloon angioplasty for infrapopliteal artery disease in patients with critical limb ischemia.

Eur J Vasc Endovasc Surg. 2012 Dec;44(6):577-81.

- 35) Soga Y, Iida O, Kawasaki D, Yamauchi Y, Suzuki K, Hirano K, Koshida R, Kamoi D, Tazaki J, Higashitani M, Shintani Y, Yamaoka T, Okazaki S, Suematsu N, Tsuchiya T, Miyashita Y, Shinozaki N, Takahashi H; REAL-AI investigators.

Contemporary outcomes after endovascular treatment for aorto-iliac artery disease.

Circ J. 2012;76(11):2697-704.

- 36) O. Iida, Y. Soga, Y. Yamauchi, K. Hirano, D. Kawasaki, J. Tazaki, T. Yamaoka, N. Suematsu, K. Suzuki, Y. Shintani, Y. Miyashita, M. Takahara, M. Uematsu

Anatomical Predictors of Major Adverse Limb Events after Infrapopliteal Angioplasty for Patients with Critical Limb Ischaemia due to Pure Isolated Infrapopliteal Lesions

Eur J Vasc Endovasc Surg. 2012 Sep;44(3):318-24.

- 37) O. Iida, Y. Soga, D. Kawasaki, K. Hirano, T. Yamaoka, K. Suzuki, Y. Miyashita, H. Yokoi, M. Takahara, M. Uematsu

Angiographic Restenosis and Its Clinical Impact after Infrapopliteal Angioplasty

Eur J Vasc Endovasc Surg. 2012 Oct;44(4):425-31.