Articles In Journals

1. Fujimura N, Obara H, Nagano T, Ogawa Y, Kobayashi T, Ohmine T, Ozeki Y, Sakaguchi S, Yamaoka T, Ueda H, Sumi M, Taniguchi S, **Ichihashi S**. Early Clinical Outcomes of the Active Seal Technology of the AFX Endovascular Aortic Aneurysm System With the VELA Cuff for Patients With a Conical Proximal Neck. J Endovasc Ther. 2022 Jan 11:15266028211070971.
2. Nagatomi S, **Ichihashi S**, Kanamori D, Yamamoto H. Successful Sac Embolization to Eliminate a Type 2 Endoleak After Thoracic Endovascular Aortic Repair by Penetration of a Vascular Plug Implanted in a Left Subclavian Artery. J Endovasc Ther. 2021 Dec 30:15266028211067730.
3. Iida O, Ohki T, Soga Y, Suematsu N, Nakama T, Yamaoka T, Tobita K, **Ichihashi S**. Twelve-Month Outcomes From the Japanese Post-Market Surveillance Study of the Viabahn Endoprosthesis as Treatment for Symptomatic Peripheral Arterial Disease in the Superficial Femoral Arteries. J Endovasc Ther. 2021 Dec 15:15266028211067739.
4. Ugajin A, Iwakoshi S, **Ichihashi S**, Inoue T, Nakai T, Kishida H, Chanoki Y, Tanaka T, Mori H, Kichikawa K. Prediction of Abdominal Aortic Aneurysm Growth After Endovascular Aortic Repair by Measuring Brachial-Ankle Pulse Wave Velocity. Ann Vasc Surg. 2021 Nov 5:S0890-5096(21)00794-9.
5. Fujihara M, Takahara M, **Ichihashi S**, et al. Clinical outcomes of endovascular procedure using VIABAHN® VBX covered stent in complex aortoiliac artery disease: Result from AVOCADO study. Catheter Cardiovasc Interv. 2021 Aug 18.
6. **Ichihashi S**, Nagatomi S, Iwakoshi S, Hirose T, Bolstad F, Kichikawa K. Penetration of Dissected Membrane for False Lumen Embolization in a Case of Chronic Aortic Dissection. Vasc Endovascular Surg. 2021 Aug 6:15385744211037513.
7. **Ichihashi S**, Yamamoto T, Bolstad F, Koshi K. Direct puncture of an occluded common femoral artery as a new approach for endovascular aortic aneurysm repair. CVIR Endovasc. 2021 Jul 10;4(1):58.
8. Nagatomi S, **Ichihashi S**, Yamamoto H, Bolstad F, Kichikawa K. Coil-In-Plug Technique Using the Amplatzer Vascular Plug II to Occlude a Portosystemic Shunt. Vasc Endovascular Surg. 2021
9. **Ichihashi S**, Takahara M, Iida O, et al. Clinical Impact of Stent Graft Thrombosis in Femoropopliteal Arterial Lesions. JACC Cardiovasc Interv. 2021 May 24;14(10):1137-1147.
10. Nagatomi S, **Ichihashi S**, Yamamoto H, et al. Efficacy of Multichannel Balloon Angioplasty in Calcified Common Femoral Artery Lesions. J Vasc Interv Radiol. 2021 Feb;32(2):181-186.
11. **Ichihashi S**, Tamura Y, Maeda S, et al. Percutaneous deep venous arterialization at femoropopliteal segment for unhealed amputated stump ulcer after below the knee amputation. Catheter Cardiovasc Interv. 2021
12. Iwakoshi S, Inagaki M, **Ichihashi S**, et al. Modifying the "Eye of the Tiger" Technique: Preserving Gluteal Artery Perfusion in the Treatment of an Aneurysm of the Hypogastric Artery. Vasc Endovascular Surg. 2021; 55(3):277-281.
13. **Ichihashi S**, Takahara M, Fujimura N, et al. Changes in Skin Perfusion Pressure After Endovascular Treatment for Chronic Limb-Threatening Ischemia. J Endovasc Ther. 2020 Oct 9:1526602820963932.
14. **Ichihashi S**, Desormais I, Hashimoto T, et al. Accuracy and Reliability of the Ankle Brachial Index Measurement Using a Multicuff Oscillometric Device Versus the Doppler Method. Eur J Vasc Endovasc Surg. 2020 Sep;60(3):462-468.
15. Kim T, **Ichihashi S**, Kozuki A, et al. Spontaneous Collapse of Balloon Expandable Stent in Heavily Calcified Aorta. Ann Vasc Dis. 2020 Jun 25;13(2):187-190.
16. Fujimura N, **Ichihashi S**, Motoki M, et al. Anatomical Analysis and Feasibility Study of Next-Generation Fenestrated or Branched Stent-Grafts for the Treatment of Arch Aneurysms. J Endovasc Ther. 2020 Oct;27(5):777-784.
17. **Ichihashi S**, Nagatomi S, Iwakoshi S, et al. Balloon-oriented puncture for creating an access for endovascular aortic aneurysm repair in a case of iliac and femoral artery occlusion. CVIR Endovasc. 2020 May 11;3(1):25.
18. **Ichihashi S**, Takahara M, Fujimura N, et al. Multicentre randomised controlled trial to evaluate the efficacy of pre-emptive inferior mesenteric artery embolisation during endovascular aortic

aneurysm repair on aneurysm sac change: protocol of Clarify IMA study. BMJ Open. 2020 Feb 16;10(2):e031758.
19. **Ichihashi S**, Shimohara Y, Bolstad F, et al. Simplified Endovascular Deep Venous Arterialization for Non-option CLI Patients by Percutaneous Direct Needle Puncture of Tibial Artery and Vein Under Ultrasound Guidance (AV Spear Technique). Cardiovasc Intervent Radiol. 2020 Feb;43(2):339-343.
20. Iwakoshi S, Dake MD, **Ichihashi S**, et al. Management of Renal Arteries in Conjunction with Thoracic Endovascular Aortic Repair for Complicated Stanford Type B Aortic Dissection: The Japanese Multicenter Study (J-Predictive Study). Radiology. 2020 Feb;294(2):455-463.
21. Fujimura N, Obara H, **Ichihashi S**, et al. Preliminary Experience of Viabahn Stent Graft Inside the Occluded Prosthetic Bypass Graft for the Treatment of Above Knee Femoropopliteal Bypass Occlusion. Cardiovasc Intervent Radiol. 2020 Feb;43(2):223-230.
22. Iwakoshi S, Konishi K, **Ichihashi S**, et al. Complex combination of femoropopliteal occlusive disease and arteriovenous fistula treated using color-coded digital subtraction angiography. J Vasc Surg Cases Innov Tech. 2019 Jun 25;5(3):264-268.
23. Kawarada O, Hozawa K, **Ichihashi S**, et al. Peak systolic velocity ratio derived from quantitative vessel analysis for restenosis after femoropopliteal intervention: a multidisciplinary review from Endovascular Asia. Cardiovasc Interv Ther. 2020 Jan;35(1):52-61.
24. Iwakoshi S, Sakaguchi S, **Ichihashi S**, et al. Renal Stent Migration Following TEVAR for Complicated Type B Aortic Dissection. Vasc Endovascular Surg. 2019 Jul;53(5):433-436.
25. Iwakoshi S, Nakai T, **Ichihashi S**, et al. Conformability and Efficacy of the Zenith Spiral Z Leg Compared with the Zenith Flex Leg in Endovascular Abdominal Aortic Aneurysm Repair. Ann Vasc Surg. 2019 Aug;59:127-133.
26. Fujimura N, **Ichihashi S**, Matsubara K, et al. Type IIIb Endoleak Is Not Extremely Rare and May Be Underdiagnosed after Endovascular Aneurysm Repair. J Vasc Interv Radiol. 2019 Sep;30(9):1393-1399.e1.
27. **Ichihashi S**, Shibata T, Fujimura N, et al. Vessel calcification as a risk factor for in-stent restenosis in complex femoropopliteal artery lesions after Zilver PTX paclitaxel-coated stent placement. J Endovasc Ther. 2019
28. Iwakoshi S, **Ichihashi S**, Inoue T, et al Measuring the greater curvature length of virtual stent graft can provide accurate prediction of stent graft position for thoracic endovascular aortic repair. J Vasc Surg. 2018 Oct 24.
29. Kichikawa K, **Ichihashi S**, Yokoi H, et al. Zilver PTX Post-market Surveillance Study of Paclitaxel-Eluting Stents for Treating Femoropopliteal Artery Disease in Japan: 2-Year Results. Cardiovasc Intervent Radiol. 2018 Nov 8.
30. **Ichihashi S**, Fernández-Colino A, Wolf F, et al. Bio-based covered stents: the potential of biologically-derived membranes. Tissue Eng Part B Rev. 2018 Oct 12. doi: 10.1089/ten.TEB.2018.0207. [Epub ahead of print]
31. Kawarada O, Zen K, **Ichihashi S**, et al. Contemporary critical limb ischemia: Asian multidisciplinary consensus statement on the collaboration between endovascular therapy and wound care. Cardiovasc Interv Ther. 2018 Apr 13. doi: 10.1007/s12928-018-0523-z. [Epub ahead of print]
32. **Ichihashi S**, Hashimoto T, Iwakoshi S, et al. Preliminary Evaluation of Aortic Aneurysm Screening Using Oscillometric Device Equipped With Novel Algorithm Analyzing Pulse Wave Transfer. Circ J. 2017; 82: 334-339.
33. **Ichihashi S**, Wolf F, Schmitz-Rode T, et al. In Vitro Quantification of Luminal Denudation After Crimping and Balloon Dilatation of Endothelialized Covered Stents. Cardiovasc Intervent Radiol. 2017; 40: 1229-1236.
34. Hashimoto T, **Ichihashi S**, Iwakoshi S, et al. Combination of pulse volume recording (PVR) parameters and ankle-brachial index (ABI) improves diagnostic accuracy for peripheral arterial disease compared with ABI alone. Hypertens Res. 2016; 39: 430-4.
35. Iwakoshi S, **Ichihashi S**, Itoh H, et al. Clinical outcomes of thoracic endovascular aneurysm repair using commercially available fenestrated stent graft (Najuta endograft). J Vasc Surg. 2015; 62: 1473-8.

36. **Ichihashi S**, Higashiura W, Itoh H, et al. Intravascular ultrasound assessment of acute expansion of the balloon-expandable stent in heavy calcified iliac artery lesions or in lesions resistant to dilation by a self-expanding stent. Ann Vasc Surg. 2014; 28: 1449-55.
37. **Ichihashi S**, Hashimoto T, Iwakoshi S, et al. Validation study of automated oscillometric measurement of the ankle-brachial index for lower arterial occlusive disease by comparison with computed tomography angiography. Hypertens Res. 2014; 37: 591-4.
38. Iwakoshi S, **Ichihashi S**, Higashiura W, et al. A decade of outcomes and predictors of sac enlargement after endovascular abdominal aortic aneurysm repair using zenith endografts in a Japanese population. J Vasc Interv Radiol. 2014; 25: 694-701.
39. **Ichihashi S**, Sato T, Iwakoshi S, et al. Technique of percutaneous direct needle puncture of calcified plaque in the superficial femoral artery or tibial artery to facilitate balloon catheter passage and balloon dilation of calcified lesions. J Vasc Interv Radiol. 2014; 25: 784-8.
40. Kichikawa K, Iwakoshi S, **Ichihashi S**. Diagnosis and treatment of endoleak after thoracic endovascular aortic repair or endovascular aortic repair. Nihon Geka Gakkai Zasshi. 2014; 115: 84-9.
41. **Ichihashi S**, Kichikawa K. Role of the latest endovascular technology in the treatment of intermittent claudication. Ther Clin Risk Manag. 2014; 10: 467-74.
42. **Ichihashi S**, Higashiura W, Itoh H, et al. Iliac Artery Stent Placement Relieves Claudication in Patients with Iliac and Superficial Femoral Artery Lesions. Cardiovasc Intervent Radiol. 2013; 36: 623-8.
43. **Ichihashi S**, Marugami N, Tanaka T, et al. Preliminary experience with superparamagnetic iron oxide-enhanced dynamic magnetic resonance imaging and comparison with contrast-enhanced computed tomography in endoleak detection after endovascular aneurysm repair. J Vasc Surg. 2013; 58: 66-72.
44. **Ichihashi S**, Higashiura W, Itoh H, et al. Catheter-based bailout techniques for an interrupted deployment of the excluder endograft due to broken deployment string. Ann Vasc Surg. 2013; 27: 801.e1-4.
45. Uchiyamada JS, **Ichihashi S**, Iwakoshi S, et al. Technical tips and procedural steps in endovascular aortic aneurysm repair with concomitant recanalization of iliac artery occlusions. SpringerPlus 2013; 2: 605.
46. **Ichihashi S**, Higashiura W, Itoh H, et al. Fracture and Collapse of Balloon-Expandable Stents in the Bilateral Common Iliac Arteries Due to Shiatsu Massage. Cardiovasc Intervent Radiol. 2012; 35: 1500-4.
47. **Ichihashi S**, Higashiura W, Itoh H, Sakaguchi S, Nishimine K, Kichikawa K. Long-term outcomes for systematic primary stent placement in complex iliac artery occlusive disease classified according to Trans-Atlantic Inter-Society Consensus (TASC)-II. J Vasc Surg. 2011; 53: 992-9.
48. Kichikawa K, Higashiura W, **Ichihashi S**, et al. Endovascular therapy for aortic aneurysm. Nihon Rinsho. 2011; 69: 322-8.
49. Kichikawa K, Sakaguchi S, **Ichihashi S**, et al. Current status and future of TEVAR for descending thoracic aortic aneurysm. Nihon Geka Gakkai Zasshi. 2009; 110: 266-70.
50. Katsumori T, Kasahara T, **Ichihashi S**. Magnetic resonance angiography of uterine artery: changes with embolization using gelatin sponge particles alone for fibroids. Cardiovasc Intervent Radiol. 2007; 30: 398-404.