英文筆頭著書論文 English peer-reviewed papers, first and corresponding author

1. Nakama T, Shibata T, Ogata K, Kuriyama N. An extreme recanalization: transcollateral retrograde wiring for below-the-ankle occlusive lesion. EJVES Extra. (27): e7-e9, 2014
2. Nakama T, Shibata Y, Kimura T, Fukushima Y, Inoue Y, Kuriyama N. A breakthrough trans-collateral retrograde access for occlusive superficial femoral artery: multi-site access and sheath insertion (MUSASHI) technique. Cardiovasc Interv and Ther. 30 (4): 356-61, 2015
3. Nakama T, Watanabe N, Kimura T, Ogata K, Nishino S, Furugen M, Koiwaya H, Furukawa K, Nakamura E, Yano M, Daian T, Kuriyama N, Shibata Y. Clinical implications of additional pedal artery angioplasty in critical limb ischemia patients with infrapopliteal and pedal artery disease. J Endovasc Ther. 23 (1): 83-91, 2016
4. Nakama T, Ando H, Watanabe N, Ogata K, Takei T, Shibata Y. Novel retrograde puncture technique for infrapopliteal artery revascularization: transplantar retrograde access. Cardiovasc Interv and Ther. 2017; 32: 287-293.
5. Nakama T, Watanabe N, Haraguchi T, Sakamoto H, Kamoi D, Tsubakimoto Y, Ogata K, Satoh K, Urasawa K, Ando H, Fujita H, Shibata Y. Clinical outcomes of pedal artery angioplasty for patients with ischemic wounds: results from the multicenter RENDEZVOUS registry. JACC. Cardiovasc Interv. 2017; 10: 79-90.
6. Nakama T, Obunai, K, Muraishi M, Kojima S, Watanabe H. Invagination of an interwoven nitinol stent during femoropopliteal artery placement. JACC. Cardiovasc Interv. 2020; 27: e71-e72. Epub 2020 Jan 29.
7. Nakama T, Obunai K, Muraishi M, Watanabe H. Percutaneous Endoluminal Anatomical Bypass for Patients with External Iliac Artery Occlusion After Failed Conventional Endovascular Recanalization. Catheter Cardiovasc Interv. 2020 Feb 10. doi: 10.1002/ccd.28769.
8. Nakama T, Obunai, K, Kojima S, Muraishi M, Watanabe H. Angiographic findings of the development of a reverse blood supply after percutaneous deep venous arterialization. JACC. Cardiovasc Interv. doi:10.1016/j.jcin. 2020.01.225. Online ahead of print.
9. Nakama T, Obunai K, Muraishi M, Azumi Y, Watanabe H. Angiographic and Intravascular Imaging Findings for Ultrasound Detected Aneurysmal Degeneration Following Polymer Based Paclitaxel Eluting Nitinol Stent Implantation for Femoropopliteal Artery Occlusion. EJVES Vascular Forum. 2020; 47:3-5
10. Nakama T, Obunai K, Muraishi M, Kojima S, Watanabe H. Angioscopic Findings on 15-Month Follow-Up for Interwoven Nitinol Stent Invagination in the Femoropopliteal Artery. JACC Cardiovasc Interv. 2020; 13:1958-1959.
11. Nakama T, Obunai K, Azumi, Y, Watanabe H. Intravascular Ultrasound Findings after Successful Guidewire Passage With a Retrograde Narrowing Looped Wire

Technique. EJVES Vascular Forum. 2020; In. Press

12. Nakama T, Saito A, Obunai K, Azumi Y, Watanabe H. Calcified nodule progression-related stent thrombosis after polymer-based paclitaxel-eluting nitinol stent implantation for femoropopliteal artery. J Vasc Surg Cases Innov Tech. 2020; In Press.

英文共著論文 English peer-reviewed papers, co-authors

13. Nishihira K, Shibata Y, Ishikawa T, Nomura K, Nakama T, Mine D, Inoue Y, Ashikaga K, Kuriyama N, Matsuyama A, Imamura T, Asada Y, Kitamura K. Repeated sirolimus-eluting stent implantation to treat sirolimus-eluting stent and bare-metal stent restenosis. Circ J. 2010; 11: 2329-33
14. Kuriyama N, Kobayashi Y, Nakama T, Mine D, Nishihira K, Shimomura M, Nomura K, Ashikaga K, Matsuyama, A, Shibata Y. Late restenosis following sirolimus-eluting stent implantation. JACC Cardiovasc Interv. 2011. 1: 123-8
15. Nishihira K, Hatakeyama K, Kuriyama N, Nomura K, Fukushima Y Inoue Y, Nakama T, Mine D, Sagara S, Ashikaga K, Matsuyama A, Kitamura K, Y, Asada Y. Presence of older thrombus in patients with late and very late drug-eluting stent thrombosis. J Cardiol. 59 (1): 57-63, 2012
16. Fujihara M, Kawasaki D, Shintani Y, Fukunaga M, Nakama T, Koshida R, Higashimori A, Yokoi Y. CO2 Angiography Registry Investigators, Endovascular therapy by CO2 angiography to prevent contrast-induced nephropathy in patients with chronic kidney disease: a prospective multicenter trial of CO2 angiography registry. Catheter Cardiovasc Interv. 2015; 5: 870-877.
17. Haraguchi T, Urasawa K, Nakama T, Nakagawa T, Tan M, Koshida R, Sato K. Sheath rendezvous method: a novel distal protection technique during endovascular treatment of subclavian artery occlusions. Cardiovasc Interv and Ther. 2016; 4: 279-283.
18. The Impact of Three-Dimensional Optical Coherence Tomography and Kissing-Balloon Inflation for Stent Implantation to Bifurcation Lesions. J Cardiol Cases. 2016 Jan 16;13(5):133-136.
19. Nishino S, Watanabe N, Kimura T, Maurice Enriquez-Sarano, Nakama T, Furugen M, Koiwaya H, Ashikaga K, Kuriyama N, Shibata Y. The Course of Ischemic Mitral Regurgitation in Acute Myocardial Infarction After Primary Percutaneous Coronary Intervention From Emergency Room to Long-Term Follow-Up. Circ Cardiovasc Imaging. 2016 Aug;9(8):e004841. doi: 10.1161/CIRCIMAGING. 116.004841. PMID: 27516478
20. Nishino S, Watanabe N, Nakama T, Takei T, Ashikaga K, Kuriyama N, Shibata Y.

Direct measurement of coronary flow during a vasospastic angina attack by transthoracic Doppler echocardiography. J Echocardiogr. 2017; 2: 88-90.

21. Kawarada O, Zen K, Hozawa K, Ayabe S, Huang HL, Choi D, Kim SH, Kim J, Kato T, Tsubakimoto Y, Nakama T, Ichihashi S, Fujimura N, Higashimori A, Fujihara M, Sato T, Yan BP, Pang SY, Wongwanit C, Leong YP, Chua B, George RK, Yokoi Y, Motomura H, Obara H. Contemporary critical limb ischemia: Asian multidisciplinary consensus statement on the collaboration between endovascular therapy and wound care. Cardiovasc Interv Ther. 2018; 33: 297-312.
22. Koiwaya H, Watanabe N, Kuriyama N, Nishino S, Ogata K, Kimura T, Nakama T, Matsuura H, Furugen M, Shibata Y. Predictors of Recurrent In-Stent Restenosis After Paclitaxel-Coated Balloon Angioplasty. Circ J. 2017; 81:1286-1292.
23. Higashimori A, Takahara M, Utsunomiya M, Fukunaga M, Kawasaki D, Mori S, Takimura H, Hirano K, Tsubakimoto Y, Nakama T, Yokoi Y. Utility of indigo carmine angiography in patients with critical limb ischemia: Prospective multi-center intervention study (DIESEL-study). Catheter Cardiovasc Interv. 2019; 93: 108-112.
24. Fujihara M, Kozuki A, Tsubakimoto Y, Takahara M, Shintani Y, Fukunaga M, Iwasaki Y, Nakama T, Yokoi Y. Lumen Gain After Endovascular Therapy in Calcified Superficial Femoral Artery Occlusive Disease Assessed by Intravascular Ultrasound (CODE Study). J Endovasc Ther. 2019; 26: 322-330.
25. Kawarada O, Nakai M, Nishimura K, Iwasaki Y, Kanno D, Nakama T, Yamamoto Y, Ogata N, Nakamura M, Yasuda S. Antithrombotic Therapy After Femoropopliteal Artery Stenting: 12-month Results From Japan Postmarketing Surveillance. Heart Asia. 2019 Mar 30;11(1):e011114. doi: 10.1136/heartasia-2018-011114. eCollection 2019.
26. Fujimura N, Obara H, Iwasa J, Hattori T, Yamamoto H, Watada S, Kobayashi T, Suematsu N, Mitsuoka H, Soga Y, Nakama T, Sakamoto R, Ichihashi S. Preliminary Experience of Viabahn Stent Graft Inside the Occluded Prosthetic Bypass Graft for the Treatment of Above Knee Femoropopliteal Bypass Occlusion. Cadiovasc Intervent Radiol. 2020; 43: 223-230.
27. Tsubakimoto Y, Nakama T, Kamoi D, Ando H, Urasawa K. Outcomes of Pedal Artery Angioplasty Are Independent of the Severity of Inframalleolar Disease: A Subanalysis of the Multicenter RENDEZVOUS Registry. J Endovasc Ther. 2020: 27: 186-193.

和文論文（書籍は省略）Japanese peer-reviewed papers (except for books)

28. Nakama T, Shibata Y, Ogata K et al. Clinical challenge: Does below-the-ankle intervention improve outcomes for patients with critical limb ischemia? J Jpn Soc Limb Salvage Podiatr Med 10: 160-167, 2018（和文論文）