

- 1) **Tomoi Y**, Takahara M, Soga Y, Hirano T, Tsunoda K, Katsuki T, Ando K. Effect of High-Dose Drug-Coated Balloon Repetition After Drug-Coated Balloon Failure. *J Endovasc Ther*. 2023 Nov 26;15266028231214167.doi: 10.1177/15266028231214167. Online ahead of print.
- 2) **Tomoi Y**, Kanenawa K, Otani A, Hirano T, Ando K. IMPELLA® mechanical circulatory support delivery using a VIABAHN VBX-covered stent. *Cardiovasc Interv Ther*. 2023 Oct 19. doi: 10.1007/s12928-023-00964-5. Online ahead of print.
- 3) Fujihara M, Takahara M, Soga Y, Iida O, Kawasaki D, **Tomoi Y**, Tsubakimoto Y, Ogata K, Karashima E, Kato T, Kobayashi Y, Kaneko N, Sasaki S, Ichihashi K. Application of first-generation high- and low-dose drug-coated balloons to the femoropopliteal artery disease: a sub-analysis of the POPCORN registry. *CVIR Endovasc*. 2023 Aug 10;6(1):41.doi: 10.1186/s42155-023-00390-x.
- 4) **Tomoi Y**, Takahara M, Soga Y, Hata Y, Iida O, Yamaoka T, Hayakawa N, Fujihara M, Ando K; ADOCADO II Investigators. Clinical outcome of endovascular therapy using a VIABAHN VBX-covered stent for complex aortoiliac artery disease: the ADOCADO II study. *Heart Vessels*. 2023 May 29.doi:10.1007/s00380-023-02274-5. Online ahead of print
- 5) Tsujimura T, Iida O, Takahara M, **Tomoi Y**, Okazaki J, Yamaoka T, Ichihashi S, Hirose T, Kitano I, Suzuki K, Fujimura N, Mano T. Assessment of the 3-year Patency after Endoluminal Versus Surgical Bypass Therapy for Complex Femoropopliteal Artery Disease. *J Vasc Interv Radiol*. 2023 Feb 10;S1051-0443(23)00132-X.
- 6) Soga Y, Takahara M, Iida O, **Tomoi Y**, Kawasaki D, Tanaka A, Yamauchi Y, Tobita K, Kozuki A, Fujihara M, Ando K; POPCORN Investigators. Vessel Patency and Associated Factors of Drug-Coated Balloon for Femoropopliteal Lesion. *J Am Heart Assoc*. 2023 Jan 3;12(1):e025677. doi: 10.1161/JAHA.122.025677.
- 7) **Tomoi Y**, Kuramitsu S, Shinozaki T, Soga Y, Kodama K, Imada K, Hiramori S, Ando K. Validation of the Academic Research Consortium High Bleeding Risk (ARC-HBR) criteria in patients undergoing peripheral endovascular interventions. *EuroIntervention*. 2023 Apr 3;18(16):e1368-e1377. doi: 10.4244/EIJ-D-22-00475.
- 8) **Tomoi Y**, Takahara M, Soga Y, Kodama K, Imada K, Hiramori S, Ando K. Impact of High Lipoprotein(a) Levels on Clinical Outcomes Following Peripheral Endovascular Therapy. *JACC Cardiovasc Interv*. 2022 Jul 25;15(14):1466-1476.
- 9) Yazu Y, Fujihara M, Takahara M, Kurata N, Nakata A, Yoshimura H, Ito T, Fukunaga M, Kozuki A, **Tomoi Y**. Intravascular ultrasound-based decision tree

- model for the optimal endovascular treatment strategy selection of femoropopliteal artery disease-results from the ONION Study. *CVIR Endovasc.* 2022 Oct 6;5(1):52.
- 10) Fujihara M, Kurata N, Yazu Y, Mori S, **Tomoi Y**, Horie K, Nakama T, Tsujimura T, Nakata A, Iida O, Sonoda S, Torii S, Ishihara T, Azuma N, Urasawa K, Ohki T, Komori K, Kichikawa K, Yokoi H, Nakamura M. Clinical expert consensus document on standards for lower extremity artery disease of imaging modality from the Japan Endovascular Treatment Conference. *Cardiovasc Interv Ther.* 2022 Jul 19. doi: 10.1007/s12928-022-00875-x. Online ahead of print.
- 11) **Tomoi Y**, Soga Y, Imada K, Kodama K, Katsuki T, Hiramori S, Ando K. Use of Proprotein Converse Subtilisin/Kexin Type 9 Inhibitor to Treat Cholesterol Crystal Embolisms after Catheterization: A Report of Three Cases. *Intern Med.* 2022 Mar 15;61(6):857-860.
- 12) **Tomoi Y**, Takahara M, Kuramitsu S, Soga Y, Iida O, Fujihara M, Kawasaki D, Ando K; IVORY Study Investigators. Subintimal Versus Intraluminal Approach for Femoropopliteal Chronic Total Occlusions Treated With Intravascular Ultrasound Guidance. *J Am Heart Assoc.* 2021 Oct 6:e021903. doi: 10.1161/JAHA.121.021903. Online ahead of print.
- 13) **Tomoi Y**, Kuramitsu S, Shinozaki T, Hiramori S, Soga Y, Ando K. Temporal Course of Vascular Response After Fluoropolymer Paclitaxel-Eluting Stent Implantation for Femoropopliteal Artery Lesions. *Circ J.* 2021 Mar 12. doi: 10.1253/circj.CJ-20-1200. Online ahead of print.
- 14) Kanenawa K, Yamaji K, Tashiro H, Morimoto T, Hiromasa T, Hayashi M, Hiramori S, **Tomoi Y**, Kuramitsu S, Domei T, Hyodo M, Ando K, Kimura T. Frailty and Bleeding After Percutaneous Coronary Intervention. *Am J Cardiol.* 2021 Mar 3:S0002-9149(21)00216-2. doi: 10.1016/j.amjcard.2021.02.041. Online ahead of print.
- 15) Kanenawa K, Yamaji K, Morinaga T, Hiromasa T, Hayashi M, Hiramori S, **Tomoi Y**, Kuramitsu S, Domei T, Hyodo M, Soga Y, Shirai S, Ando K. Clinical Outcomes After Percutaneous Coronary Intervention in Patients With Cancer. *Circ J.* 2021 Feb 26. doi: 10.1253/circj.CJ-20-1119. Online ahead of print. PMID: 33642422
- 16) Soga Y, Takahara M, Ito N, Katsuki T, Imada K, Hiramori S, **Tomoi Y**, Ando K. Clinical impact of intravascular ultrasound-guided balloon angioplasty in patients with chronic limb threatening ischemia for isolated infrapopliteal lesion. *Catheter Cardiovasc Interv.* 2021 Feb 15;97(3):E376-E384. doi: 10.1002/ccd.29347. Epub 2020 Oct 21. PMID: 33085185

- 17) **Tomoi Y**, Takahara M, Soga Y, Fujihara M, Iida O, Kawasaki D, Kozuki A, Ando K. Prognostic Value of the CHA2DS2-VASc Score after Endovascular Therapy for Femoral Popliteal Artery Lesions. *J Atheroscler Thromb*. 2021;28:1153-1160.
- 18) **Tomoi Y**, Soga Y, Okazaki J, Iida O, Shiraki T, Hiramori S, Ando K. Drug-coated stent implantation vs. bypass surgery for in-stent occlusion after femoropopliteal stenting. *Heart Vessels*. 2021 Jan 4. doi: 10.1007/s00380-020-01740-8. Online ahead of print. PMID: 33392645
- 19) Ito N, Takahara M, Soga Y, Hiramori S, Hirose K, **Tomoi Y**, Ando K. Lumen Loss at 1 Year After Bare Nitinol Stent Implantation in the Superficial Femoral Artery. *J Endovasc Ther*. 2021 Feb;28(1):132-138. doi: 10.1177/1526602820950261. Online ahead of print. PMID: 32813594
- 20) Utsunomiya M, Takahara M, Fujihara M, Shiraki T, Kozuki A, Fukunaga M, Tan M, Yoshioka R, **Tomoi Y**, Mori S, Iwasaki Y, Sasaki S, Nakamura M. Effect of Target Lesion Revascularization on Restenosis Lesions of the Superficial Femoral Artery without Recurred Symptoms after Endovascular Therapy. *J Atheroscler Thromb*. 2020 Sep 8. doi: 10.5551/jat.57927. Online ahead of print. PMID: 32908114
- 21) Katsuki T, **Tomoi Y**, Yamaji K, Soga Y, Imada K, Ito N, Hiramori S, Ando K. Combination therapy of heparin-bonded covered stent and bare-nitinol stent assessed by intravascular ultrasound. *Heart Vessels*. 2020 Nov;35(11):1502-1509. doi: 10.1007/s00380-020-01631-y. Epub 2020 May 27. PMID:32462463
- 22) Katsuki T, Yamaji K, Hiramori S, **Tomoi Y**, Soga Y, Ando K. Ten-year clinical outcomes for patients undergoing lower extremity endovascular interventions. *J Vasc Surg*. 2020 Apr 8. pii: S0741-5214(20)30298-6. doi: 10.1016/j.jvs.2020.02.026. [Epub ahead of print] PMID: 32278575
- 23) **Tomoi Y**, Kuramitsu S, Soga Y, Fujihara M, Iida O, Kawasaki D, Ando K. Vascular Response After FP-PES Versus Polymer-Free Paclitaxel-Eluting Stent Implantation in Femoropopliteal Artery Lesions: A Serial Intravascular Ultrasound Study. *JACC Cardiovasc Interv*. 2020 Feb 24;13(4):535-537. doi: 10.1016/j.jcin.2019.08.043. No abstract available. PMID: 32081246
- 24) **Tomoi Y**, Takahara M, Fujihara M, Fukunaga M, Iwasaki Y, Kozuki A, Sasaki S, Soga Y, Ando K. IVUS Assessment of the Crossing Pathway of an Intraluminal Reentry Device Used in the Primary Treatment of Infrainguinal Chronic Total Occlusions. *J Endovasc Ther*. 2020 Feb;27(1):69-76. doi:10.1177/1526602819884054. Epub 2019 Oct 24. PMID: 31645220

- 25) Katsuki T, Yamaji K, **Tomoi Y**, Hiramori S, Soga Y, Ando K. Clinical impact of improvement in the ankle-brachial index after endovascular therapy for peripheral arterial disease. *Heart Vessels*. 2020 Feb;35(2):177-186. doi: 10.1007/s00380-019-01485-z. Epub 2019 Aug 23. PMID: 31444562
- 26) Soga Y, Fujihara M, **Tomoi Y**, Iida O, Ishihara T, Kawasaki D, Ando K. One-Year Late Lumen Loss between A Polymer-Coated Paclitaxel-Eluting Stent (Eluvia) and a Polymer-Free Paclitaxel-Coated Stent (Zilver PTX) for Femoropopliteal Disease. *J Atheroscler Thromb*. 2019 Jun 29. doi: 10.5551/jat.50369. [Epub ahead of print] PMID: 31257301
- 27) Nanto K, Iida O, Fujihara M, Yokoi Y, **Tomoi Y**, Soga Y, Fujita M, Masuda M, Okamoto S, Ishihara T, Kanda T, Tsujimura T, Matsuda Y, Okuno S, Mano T. Five-Year Patency and its Predictors after Endovascular Therapy for Aortoiliac Occlusive Disease. *J Atheroscler Thromb*. 2019 Apr 16. doi: 10.5551/jat.45617. [Epub ahead of print] PMID: 30996200
- 28) **Tomoi Y**, Yamaji K, Soga Y, Hiramori S, Ando K. Serum Low-Density Lipoprotein Cholesterol Level After Endovascular Therapy in Patients With Claudication. *J Endovasc Ther*. 2019 Jun;26(3):402-410. doi: 10.1177/1526602819836382. Epub 2019 Mar 15. PMID: 30873910
- 29) **Tomoi Y**, Soga Y, Takahara M, Fujihara M, Iida O, Kawasaki D, Ando K. Spot stenting versus full coverage stenting after endovascular therapy for femoropopliteal artery lesions. *J Vasc Surg*. 2019 Oct;70(4):1166-1176. doi: 10.1016/j.jvs.2018.12.044. Epub 2019 Mar 6. PMID: 30850285
- 30) Soga Y, Nakamura M, Hirose K, Ito N, **Tomoi Y**, Hiramori S, Ando K. Primary Use of the TruePath Crossing Device for Infringuinal Chronic Total Occlusions With Intravascular Ultrasound Evaluation. *J Endovasc Ther*. 2018 Oct;25(5):592-598. doi: 10.1177/1526602818793901. Epub 2018 Aug 17. PMID: 30117364
- 31) Takeji Y, Yamaji K, **Tomoi Y**, Okazaki J, Tanaka K, Nagae A, Jinnouchi H, Hiramori S, Soga Y, Ando K. Impact of Frailty on Clinical Outcomes in Patients With Critical Limb Ischemia. *Circ Cardiovasc Interv*. 2018 Jul;11(7):e006778. doi: 10.1161/CIRCINTERVENTIONS.118.006778. PMID: 30006333
- 32) **Tomoi Y**, Kuramitsu S, Soga Y, Hiramori S, Ando K. Exacerbated Peri-Stent Contrast Staining on Serial Angiography and Optical Coherence Tomography After Platinum-Chromium Everolimus-Eluting Stent Implantation for Infrapopliteal Artery Lesions. *Int Heart J*. 2018 Jul 31;59(4):895-898. doi: 10.1536/ihj.17-476. Epub 2018 May 23. PMID: 29794389

- 33) Chung WJ, Soga Y, **Tomoi Y**, Fujihara M, Okazaki S, Yamauchi Y, Shintani Y, Suzuki K; SCALLOP Investigators. Clinical Impact of Intravascular Ultrasound Guidance During Endovascular Treatment of Subclavian Artery Disease. *J Endovasc Ther.* 2017 Oct;24(5):731-738. doi: 10.1177/1526602817722996. Epub 2017 Jul 31. PMID: 28756729
- 34) Jinnouchi H, Inoue K, Soga Y, **Tomoi Y**, Kobayashi Y, Hiramori S, Shirai S, Ando K. Pathology of Neointimal Calcification in Very Late Restenosis After Bare Metal Stent Implantation for Superficial Femoral Artery. *Int Heart J.* 2017 Aug 3;58(4):641-644. doi: 10.1536/ihj.16-379. Epub 2017 Jul 13. PMID: 28701675
- 35) **Tomoi Y**, Soga Y, Iida O, Fujihara M, Ando K. Impact of Cilostazol Administration on Femoropopliteal In-Stent Restenosis. *J Endovasc Ther.* 2017 Oct;24(5):640-646. doi: 10.1177/1526602817719284. Epub 2017 Jul 5. PMID: 28675951
- 36) Soga Y, **Tomoi Y**, Hiramori S, Murata N, Kobayashi Y, Ichihashi K, Aodo K. New Endovascular Technique to Prevent Distal Embolism for Iliofemoral Occlusive Disease: Reverse Flow Aspiration With Proximal Sheath Blockage. *J Endovasc Ther.* 2017 Aug;24(4):488-495. doi: 10.1177/1526602817707306. Epub 2017 May 3. PMID: 28466671
- 37) Jinnouchi H, Kuramitsu S, Shinozaki T, **Tomoi Y**, Hiromasa T, Kobayashi Y, Domei T, Soga Y, Hyodo M, Shirai S, Ando K. Difference of Tissue Characteristics Between Early and Late Restenosis After Second-Generation Drug-Eluting Stents Implantation - An Optical Coherence Tomography Study. *Circ J.* 2017 Mar 24;81(4):450-457. doi: 10.1253/circj.CJ-16-1069. Epub 2017 Jan 27. PMID: 28132981
- 38) Soga Y, Shintani Y, Hamasaki T, **Tomoi Y**, Takaoka J, Suematsu N, Yokoi H, Ando K; ESPALIER Investigators. Effectiveness of sarpegrelate after endovascular treatment for femoropopliteal artery disease: ESPALIER study. *Cardiovasc Interv Ther.* 2017 Oct;32(4):325-332. doi: 10.1007/s12928-016-0414-0. Epub 2016 Jul 25. PMID: 27456034
- 39) **Tomoi Y**, Soga Y, Fujihara M, Iida O, Shintani Y, Zen K, Ando K. Outcomes of Endovascular Therapy for Upper Extremity Peripheral Artery Disease With Critical Hand Ischemia. *J Endovasc Ther.* 2016 Oct;23(5):717-22. doi: 10.1177/1526602816659279. Epub 2016 Jul 14. PMID: 27421289
- 40) **Tomoi Y**, Soga Y, Iida O, Shiraki T, Kobayashi Y, Hiramori S, Ando K. Impact of Drug-Eluting Stent Implantation for Femoropopliteal In-Stent Occlusion. *J Endovasc Ther.* 2016 Jun;23(3):461-7. doi: 10.1177/1526602816639721. Epub 2016 Mar 22. PMID: 27004496

- 41) Murata N, Aihara H, Soga Y, **Tomoi Y**, Hiramori S, Kobayashi Y, Ichihashi K, Tanaka N. Validation of pressure gradient and peripheral fractional flow reserve measured by a pressure wire for diagnosis of iliofemoral artery disease with intermediate stenosis. *Med Devices (Auckl)*. 2015 Nov 9;8:467-72. doi: 10.2147/MDER.S83768. eCollection 2015. PMID: 26635488
- 42) Soga Y, **Tomoi Y**, Fujihara M, Okazaki S, Yamauchi Y, Shintani Y, Suzuki K; SCALLOP Investigators. Perioperative and Long-term Outcomes of Endovascular Treatment for Subclavian Artery Disease From a Large Multicenter Registry. *J Endovasc Ther*. 2015 Aug;22(4):626-33. doi: 10.1177/1526602815590579. Epub 2015 Jun 19. PMID: 26092540
- 43) Nomura A, Nagashima M, **Tomoi Y**, Tosaka A, Soga Y. Successful endovascular treatment for high take off aorto-iliac occlusive disease. *Intern Med*. 2015;54(8):921-4. doi: 10.2169/internalmedicine.54.2920. Epub 2015 Apr 15. PMID: 25876573
- 44) **Tomoi Y**, Kuramitsu S, Soga Y, Aihara H, Ando K, Nobuyoshi M. Vascular response after Zilver PTX stent implantation for superficial femoral artery lesions: serial optical coherence tomography findings at 6 and 12 months. *J Endovasc Ther*. 2015 Feb;22(1):41-7. doi: 10.1177/1526602814566577. PMID: 25775679
- 45) Murata N, Soga Y, Iida O, Yamauchi Y, Hirano K, Kawasaki D, Fujihara M, **Tomoi Y**. Complex relationship of body mass index with mortality in patients with critical limb ischemia undergoing endovascular treatment. *Eur J Vasc Endovasc Surg*. 2015 Mar;49(3):297-305. doi: 10.1016/j.ejvs.2014.10.014. Epub 2014 Dec 15. PMID: 25524520
- 46) Hiramori S, Soga Y, **Tomoi Y**, Tosaka A. Impact of runoff grade after endovascular therapy for femoropopliteal lesions. *J Vasc Surg*. 2014 Mar;59(3):720-7. doi: 10.1016/j.jvs.2013.09.053. Epub 2013 Dec 28. PMID: 24377941
- 47) **Tomoi Y**, Soga Y, Iida O, Hirano K, Suzuki K, Kawasaki D, Yamauchi Y, Miyashita Y, Tazaki J, Nobuyoshi M. Efficacy of statin treatment after endovascular therapy for isolated below-the-knee disease in patients with critical limb ischemia. *Cardiovasc Interv Ther*. 2013 Oct;28(4):374-82. doi: 10.1007/s12928-013-0188-6. Epub 2013 Jun 12. PMID: 23756936
- 48) Soga Y, **Tomoi Y**, Sato K, Iida O, Yokoi H. Clinical outcome after endovascular treatment for isolated common femoral and popliteal artery disease. *Cardiovasc Interv Ther*. 2013 Jul;28(3):250-7. doi: 10.1007/s12928-013-0164-1. Epub 2013 Jan 30. PMID: 23361951