

## First Author

1. **Morisaki K**, Yoshino S, Matsuda D, Kurose S, Okadome J, Nakayama K, Yoshiga R, Inoue K, Furuyama T, Yamaoka T, Kume M, Matsumoto T, Okazaki J, Ito H, Onohara T, Yoshizumi T. Comparison of treatment outcomes between graft replacement and aneurysmorrhaphy with graft preservation for type 2 endoleaks after endovascular abdominal aortic aneurysm repair. *Ann Vasc Surg*. 2025:S0890-5096(25)00042-1.
2. **Morisaki K**, Matsuda D, Guntani A, Aoyagi T, Kinoshita G, Yoshino S, Inoue K, Honma K, Yamaoka T, Mii S, Yoshizumi T. Treatment Outcomes in Octogenarians with Chronic Limb-Threatening Ischemia after Infrainguinal Bypass Surgery or Endovascular Therapy. *Ann Vasc Surg*. 2024;106:312-320.
3. **Morisaki K**, Matsuda D, Guntani A, Kinoshita G, Yoshino S, Inoue K, Honma K, Yamaoka T, Mii S, Yoshizumi T. Influence of inframalleolar modifier P0/P1 on wound healing in bypass surgery vs endovascular therapy in patients with chronic limb-threatening ischemia. *J Vasc Surg*. 2024;80:792-799.e1.
4. **Morisaki K**, Matsuda D, Guntani A, Kinoshita G, Yoshino S, Inoue K, Honma K, Yamaoka T, Mii S, Yoshizumi T. Infra-inguinal bypass surgery vs endovascular revascularization for chronic limb-threatening ischemia in average- and high-risk patients. *J Vasc Surg*. 2024;80:204-212.e3.
5. **Morisaki K**, Matsuda D, Guntani A, Kawanami S, Yoshino S, Inoue K, Honma K, Yamaoka T, Mii S, Yoshizumi T. Validation of JCLIMB, SPINACH, and VQI Calculators for Prediction of Two Year Survival in Patients With Chronic Limb Threatening Ischaemia After Infra-Inguinal Surgical or Endovascular Revascularisation. *Eur J Vasc Endovasc Surg*. 2024;67:777-783.
6. **Morisaki K**, Guntani A, Matsuda D, Kinoshita G, Kawanami S, Yoshino S, Inoue K, Honma K, Yamaoka T, Mii S, Komori K, Yoshizumi T. Comparison of limb outcomes between bypass surgery and endovascular therapy in dialysis-dependent and -independent patients with chronic limb-threatening ischemia. *J Vasc Surg*. 2024;79:316-322.e2.
7. **Morisaki K**, Matsuda D, Guntani A, Matsubara Y, Kinoshita G, Kawanami S, Yamashita S, Honma K, Furuyama T, Yamaoka T, Mii S, Komori K, Yoshizumi T. Treatment outcomes between bypass surgery and endovascular therapy in patients with chronic limb-threatening ischemia classified as bypass-preferred category based on Global Vascular Guidelines. *J Vasc Surg*. 2023;78:475-482.e1.
8. **Morisaki K**, Guntani A, Kinoshita G, Kawanami S, Yamashita S, Matsubara Y, Furuyama T, Mii S, Komori K, Yoshizumi T. Impact of ambulatory status change on survival in patients with chronic limb-threatening ischemia undergoing infrainguinal surgical or endovascular revascularization. *J Vasc Surg*. 2023;78:193-200.e2.
9. **Morisaki K**, Guntani A, Matsuda D, Matsubara Y, Kinoshita G, Kawanami S, Yamashita S, Honma K, Yamaoka T, Mii S, Komori K, Furuyama T, Yoshizumi T. Risk Factors for Major Amputation in Chronic Limb-Threatening Ischemia Patients Classified as Wound, Ischemia, and Foot Infection Stage 4 following Infrainguinal Revascularization. *Ann Vasc Surg*. 2023;94:246-252.
10. **Morisaki K**, Matsuda D, Matsubara Y, Yamaoka T, Furuyama T, Yoshizumi T. Editor's Choice - Bypass Surgery Provides Better Wound Healing than Endovascular Treatment in Global Limb Anatomic Staging System Inframalleolar Modifier P1. *Eur J Vasc Endovasc Surg*. 2023;65:758-759.
11. **Morisaki K**, Matsuda D, Matsubara Y, Kurose S, Yoshino S, Kinoshita G, Honma K, Yamaoka T, Furuyama T, Yoshizumi T. Global Limb Anatomic Staging System Inframalleolar Modifier Predicts Limb Salvage and Wound Healing in Patients with Chronic Limb Threatening Ischaemia Undergoing

Endovascular Infrainguinal Revascularisation. *Eur J Vasc Endovasc Surg.* 2023;65:391-397.

12. **Morisaki K**, Matsubara Y, Kurose S, Yoshino S, Furuyama T. Evaluation of three nutritional indices as predictors of 2-year mortality and major amputation in patients with chronic limb-threatening ischemia. *Vascular.* 2023;31:1094-1102.
13. **Morisaki K**, Matsubara Y, Kurose S, Yoshino S, Furuyama T. Effect of abdominal aortic aneurysm sac shrinkage after endovascular repair on long-term outcomes between favorable and hostile neck anatomy. *J Vasc Surg.* 2022;76:916-922.
14. **Morisaki K**, Matsubara Y, Kurose S, Yoshino S, Furuyama T. Bypass Surgery Provides Better Outcomes Compared with Endovascular Therapy in the Composite Endpoint Comprising Relief from Rest Pain, Wound Healing, Limb Salvage, and Survival after Infra-inguinal Revascularisation in Patients with Chronic Limb Threatening Ischaemia. *Eur J Vasc Endovasc Surg.* 2022;63:588-593.
15. **Morisaki K**, Matsubara Y, Yoshino S, Kurose S, Yamashita S, Furuyama T, Mori M. Validation of the GLASS Staging Systems in Patients With Chronic Limb-Threatening Ischemia Undergoing De Novo Infrainguinal Revascularization. *Ann Vasc Surg.* 2022;81:378-386.
16. **Morisaki K**, Matsubara Y, Furuyama T, Kurose S, Yoshino S, Yamashita S, Mori M. Effects of Antithrombotic Therapy on Abdominal Aortic Aneurysm Sac Size after Endovascular Repair in Patients with Favorable Neck Anatomy. *J Vasc Interv Radiol.* 2022;33:113-119.
17. **Morisaki K**, Matsubara Y, Kurose S, Yoshino S, Yamashita S, Nakayama K, Furuyama T. Analysis of prognostic factors for postoperative complications and reinterventions after open surgical repair and endovascular aneurysm repair in patients with abdominal aortic aneurysm. *Ann Vasc Surg.* 2021;77:172-181.
18. **Morisaki K**, Furuyama T, Matsubara Y, Inoue K, Kurose S, Yoshino S, Nakayama K, Yamashita S, Yoshiya K, Mori M. Thigh sarcopenia and hypoalbuminemia predict impaired overall survival after infrainguinal revascularization in patients with critical limb ischemia. *Vascular.* 2020;28:542-547.
19. **Morisaki K**, Furuyama T, Yoshiya K, Kurose S, Yoshino S, Nakayama K, Yamashita S, Kawakubo E, Matsumoto T, Mori M. Frailty in patients with abdominal aortic aneurysm predicts prognosis after elective endovascular aneurysm repair. *J Vasc Surg.* 2020;72:138-143.
20. **Morisaki K**, Furuyama T, Matsubara Y, Inoue K, Kurose S, Yoshino S, Nakayama K, Yamashita S, Yoshiya K, Yoshiga R, Maehara Y. External validation of CLI Frailty Index and assessment of predictive value of modified CLI Frailty Index for patients with critical limb ischemia undergoing infrainguinal revascularization. *Vascular.* 2019;27:405-410.
21. **Morisaki K**, Yamaoka T, Iwasa K, Ohmine T. Bypass Surgery after Endovascular Therapy for Infrapopliteal Lesion Is Not a Poor Outcome Compared with Initial Bypass Surgery by Vascular Surgeons. *Ann Vasc Surg.* 2017;45:35-41.
22. **Morisaki K**, Yamaoka T, Iwasa K, Ohmine T. Influence of frailty on treatment outcomes after revascularization in patients with critical limb ischemia. *J Vasc Surg.* 2017;66:1758-1764.
23. **Morisaki K**, Yamaoka T, Iwasa K. Risk factors for wound complications and 30-day mortality after major lower limb amputations in patients with peripheral arterial disease. *Vascular.* 2018;26:12-17.
24. **Morisaki K**, Yamaoka T, Iwasa K, Ohmine T, Guntani A. Preoperative risk factors for aneurysm sac expansion caused by type 2 endoleak after endovascular aneurysm repair. *Vascular.* 2017;25:533-

541.

25. **Morisaki K**, Yamaoka T, Iwasa K, Ohmine T. Outcomes of Endovascular Therapy for Infrarenal Aortic Occlusion of TASC II D Classification. *Ann Vasc Surg.* 2017;43:203-209.
26. **Morisaki K**, Matsumoto T, Matsubara Y, Inoue K, Aoyagi Y, Matsuda D, Tanaka S, Okadome J, Maehara Y. Prognostic factor of the two-year mortality after revascularization in patients with critical limb ischemia. *Vascular.* 2017;25:123-129.
27. **Morisaki K**, Matsumoto T, Matsubara Y, Inoue K, Aoyagi Y, Matsuda D, Tanaka S, Okadome J, Maehara Y. Elective endovascular vs. open repair for abdominal aortic aneurysm in octogenarians. *Vascular.* 2016;24:348-54.
28. **Morisaki K**, Shibata R, Takahashi N, Ouchi N, Maehara Y, Murohara T, Komori K. Pioglitazone prevents intimal hyperplasia in experimental rabbit vein grafts. *J Vasc Surg.* 2011;54:1753-9.

### Co-Author

1. Okadome J, **Morisaki K**, Matsuda D, Guntani A, Kurose S, Kyuragi R, Tanaka S, Iwasa K, Ito H, Yoshizumi T. Comparison of Early Outcomes in Patients Who Underwent Common Femoral Thromboendarterectomy with Vein versus Bovine Pericardial Patches. *Ann Vasc Surg.* 2025;110:498-504.
2. Yoshino S, **Morisaki K**, Aoyagi T, Kinoshita G, Inoue K, Yoshizumi T. Spontaneous Inferior Mesenteric Artery Occlusion after Endovascular Aneurysm Repair for Abdominal Aortic Aneurysm and its Impact on Clinical Outcomes. *Eur J Vasc Endovasc Surg.* 2024:S1078-5884(24)00828-1.
3. Inoue K, Kinoshita G, Yoshino S, **Morisaki K**, Yoshizumi T. The Modified Albumin-Bilirubin (ALBI) Grade Reflect the Fate of Limb Prognosis in Patients with Chronic Limb-Threatening Ischemia. *Ann Vasc Surg.* 2024;108:171-178.
4. Yoshino S, **Morisaki K**, Matsuda D, Guntani A, Kinoshita G, Matsubara Y, Kawanami S, Yamashita S, Honma K, Furuyama T, Yamaoka T, Mii S, Komori K, Yoshizumi T. Bypass Surgery Provides Better Outcomes Compared with Endovascular Therapy in Patients with Chronic Limb-Threatening Ischemia Classified as Indeterminate Category According to the Global Vascular Guidelines. *Ann Vasc Surg.* 2023;97:358-366.
5. Yoshino S, Matsubara Y, Kurose S, Yamashita S, **Morisaki K**, Furuyama T, Yoshizumi T. Left Renal Vein Division during Open Surgical Repair for Abdominal Aortic Aneurysm May Cause Long-Term Kidney Remodeling. *Ann Vasc Surg.* 2023;96:155-165.
6. Matsubara Y, Kawanami S, Kinoshita G, Kurose S, Shinichiro Y, **Morisaki K**, Furuyama T, Yoshizumi T. Perioperative therapeutic antibiotics are beneficial to prevent exacerbation of limb-associated infection after bypass surgery in patients with critical limb-threatening ischemia and foot infection score of  $\geq 1$ . *Vascular.* 2024;32:640-647.
7. Kurose S, Matsubara Y, Yoshino S, Yoshiya K, **Morisaki K**, Furuyama T, Hoshino T, Yoshizumi T. Interleukin-38 suppresses abdominal aortic aneurysm formation in mice by regulating macrophages in an IL1RL2-p38 pathway-dependent manner. *Physiol Rep.* 2023;11:e15581.
8. Nakayama K, Furuyama T, Matsubara Y, **Morisaki K**, Onohara T, Ikeda T, Yoshizumi T. Gut dysbiosis and bacterial translocation in the aneurysmal wall and blood in patients with abdominal aortic

aneurysm. *PLoS One*. 2022;17:e0278995.

9. Ebata Y, **Morisaki K**, Matsubara Y, Kurose S, Yoshino S, Nakayama K, Kawakubo E, Furuyama T, Mori M. A systematic review of management of ureteroarterial fistula. *J Vasc Surg*. 2022;76:1417-1423.e5.
10. Matsumoto T, Yoshino S, Furuyama T, **Morisaki K**, Nakano K, Koga JI, Maehara Y, Komori K, Mori M, Egashira K. Pitavastatin-Incorporated Nanoparticles for Chronic Limb Threatening Ischemia: A Phase I/IIa Clinical Trial. *J Atheroscler Thromb*. 2022;29:731-746.
11. Inoue K, Furuyama T, Kurose S, Yoshino S, Nakayama K, Yamashita S, **Morisaki K**, Mori M. Platelet Count Recovery after Endovascular Aneurysm Repair for Abdominal Aortic Aneurysm. *Ann Vasc Dis*. 2021;14:11-18.
12. Kurose S, Matsubara Y, Yoshino S, Nakayama K, Yamashita S, **Morisaki K**, Furuyama T, Mori M. Influence of Internal Iliac Artery Embolization during Endovascular Aortic Repair Regarding Postoperative Sarcopenia and Midterm Survival. *Ann Vasc Surg*. 2021;74:148-157.
13. Matsumoto T, Yamashita S, Yoshino S, Kurose S, **Morisaki K**, Nakano K, Koga JI, Furuyama T, Mori M, Egashira K. Therapeutic Arteriogenesis/Angiogenesis for Peripheral Arterial Disease by Nanoparticle-Mediated Delivery of Pitavastatin into Vascular Endothelial Cells. *Ann Vasc Dis*. 2020;13:4-12.
14. Inoue K, Furuyama T, Kurose S, Yoshino S, Nakayama K, Yamashita S, **Morisaki K**, Kume M, Matsumoto T, Mori M. Platelets reflect the fate of type II endoleak after endovascular aneurysm repair. *J Vasc Surg*. 2020;72:541-548.e1.
15. Furuyama T, Yamashita S, Yoshiya K, Kurose S, Yoshino S, Nakayama K, Inoue K, **Morisaki K**, Matsumoto T, Mori M. The Controlling Nutritional Status Score is Significantly Associated with Complete Ulcer Healing in Patients with Critical Limb Ischemia. *Ann Vasc Surg*. 2020;66:510-517.
16. Inoue K, Matsumoto T, Yamashita S, Yoshiga R, Yoshiya K, Matsubara Y, Matsuda D, **Morisaki K**, Furuyama T, Mori M. Malnutrition diagnosed by controlling nutrition status is a negative predictor of life prognosis in aortic arch aneurysm patients treated with thoracic endovascular aneurysm repair. *Vascular*. 2020;28:31-41.
17. Furuyama T, Onohara T, Yoshiga R, Yoshiya K, Matsubara Y, Inoue K, Matsuda D, **Morisaki K**, Matsumoto T, Maehara Y. Functional prognosis of critical limb ischemia and efficacy of restoration of direct flow below the ankle. *Vascular*. 2019;27:38-45.
18. Matsubara Y, Furuyama T, Nakayama K, Yoshiya K, Inoue K, **Morisaki K**, Kume M, Maehara Y. High intramuscular adipose tissue content as a precondition of sarcopenia in patients with aortic aneurysm. *Surg Today*. 2018;48:1052-1059.
19. Furuyama T, Onohara T, Yamashita S, Yoshiga R, Yoshiya K, Inoue K, **Morisaki K**, Kyuragi R, Matsumoto T, Maehara Y. Prognostic factors of ulcer healing and amputation-free survival in patients with critical limb ischemia. *Vascular*. 2018;26:626-633.
20. Okazaki J, Matsuda D, Tanaka K, Ishida M, Kuma S, **Morisaki K**, Furuyama T, Maehara Y. Analysis of wound healing time and wound-free period as outcomes after surgical and endovascular revascularization for critical lower limb ischemia. *J Vasc Surg*. 2018;67:817-825.
21. Kuma S, Tanaka K, Ohmine T, **Morisaki K**, Kodama A, Guntani A, Ishida M, Okazaki J, Mii S. Clinical

Outcome of Surgical Endarterectomy for Common Femoral Artery Occlusive Disease. *Circ J*. 2016;80:964-9.

22. Okadome J, Matsumoto T, Aoyagi Y, Matsuda D, Tanaka S, Kawakubo E, Kyuragi R, **Morisaki K**, Homma K, Iwasa K, Ohmine T, Guntani A, Fukunaga R, Maehara Y. Long-Term Results of a Hybrid Revascularization Procedure for Peripheral Arterial Disease. *Fukuoka Igaku Zasshi*. 2015;106:254-61.
23. Matsumoto T, Matsuda D, Honma K, Aoyagi Y, Okadome J, **Morisaki K**, Tanaka S, Saeki H, Oki E, Maehara Y. One-stage Procedure for Concomitant Abdominal Aortic Aneurysm and Gastric Cancer. *Anticancer Res*. 2015;35:6909-12.
24. Matsumoto T, Matsubara Y, Aoyagi Y, Matsuda D, Okadome J, **Morisaki K**, Inoue K, Tanaka S, Ohkusa T, Maehara Y. Radial force measurement of endovascular stents: Influence of stent design and diameter. *Vascular*. 2016;24:171-6.
25. Kuma S, **Morisaki K**, Kodama A, Guntani A, Fukunaga R, Soga Y, Shirai S, Ishida M, Okazaki J, Mii S. Ultrasound-guided percutaneous thrombin injection for post-catheterization pseudoaneurysm. *Circ J*. 2015;79:1277-81.
26. Matsubara Y, Matsumoto T, Aoyagi Y, Tanaka S, Okadome J, **Morisaki K**, Shirabe K, Maehara Y. Sarcopenia is a prognostic factor for overall survival in patients with critical limb ischemia. *J Vasc Surg*. 2015;61:945-50.
27. Maekawa T, Komori K, **Morisaki K**, Itoh T. Ezetimibe reduces intimal hyperplasia in rabbit jugular vein graft. *J Vasc Surg*. 2012;56:1689-97.
28. Horii A, Shibata R, **Morisaki K**, Murohara T, Komori K. Cilostazol stimulates revascularisation in response to ischaemia via an eNOS-dependent mechanism. *Eur J Vasc Endovasc Surg*. 2012;43:62-5.